



# IN THE USA







2023 PRODUCT PRICE LIST



Contractor Pricing →



# SPECIAL CONTRACTOR PACKAGING 25-COUNT PACKS AND BUNDLES



25 Count bags of Winged 1 Pc Jets

Available Gallonages

Blue 10.5 Green 16.0 Red 23.5



Green Spinners 360° x 2 360° x 8





Vinyl Tubing Adapters

XMJBBXB9 XMJBBXB6 Large Small

# Bundles of 25 Count Stakes Available in Barb Stakes & Clip Stakes





XMSBCLP Black Clip Stake

# Bundles of 25 Count Stake Assemblies

Clip Stake Assemblies

# XBDL30B

- · Green Clip Stake
- 30" Green Vinyl
- Barb x Barb Adapter



Strip



# BME30B

- Orange Clip Stake
- 30" Blue Vinyl
- Barb x Barb Adapter

# XBSK30B

- Black Clip Stake
- 30" Black Vinyl
- Barb x Barb Adapter

Barb Stake Assemblies



# XBAL30WB

- Green Barb Stake
- 30" Green Vinyl
- Barb x Barb Mister Valve
- Barb x Barb Adapter



- Black Barb Stake
- 24" Black Vinyl
- Barb x Barb Adapter



When ordering 25 Count Packaging, add an 'X' to the Beginning of the part number(s).

# **EXAMPLE:**

Quantity of 4 - XMSBCLP Bundles of 25 Black Clip Stakes = 100 Total Stakes

Contractor Packaging is available for a variety of items: Stakes

Stake Assemblies

Winged One Piece Landscape Spray Jets, Max One Piece Jets, Top Hat Jets Tubing Adapters





# Special Bulk Contractor Packaging

			_		
$T_{\sim}$	hla	_ ∩f	$C_0$	nta	nto
10	ı лı <del>⊢</del>			1111	1115

1 One-Piece Max-One Spray J
2 — One-Piece Max-One Spray Jets con't / Swap Top
Spinners / Winged One-Piece Jets / Ag Single Piece J
4 — Overhead Cone Sprayer / Two Piece Jets (Deflector with Ba
Bases / Jet Cleaning Tools / Repair Kit / Anatomy of a Stake Assem
Stakes: 13" Clip / 13" Barb / 8" Shorty Clip / 2" Cross / Extension Risers / Vinyl Coll
7 ——————————.295" OD Standard Vinyl Tubing / .240" OD Small Vinyl Tubing / .187" OD PE Tub
8 — Vinyl Tubing & Extension Adapters / Specialty & PE Adapters / Saddles for PVC / PC Flow Controll
9 ————————————————————————————————————
0 ——— Support Stakes, Nail Stakes & End Stakes / Pressure Regulators / Flush Valves / Tree Budding Ties & Cl
1 — Nursey Threaded & Grooved Pot Stakes® & PE Tubing / Nursery Elbow, Rod, Dual-Clip, Shorty, & Cross Stal
2 — Drippers: Non PC & PC Drippers / Adjustable Drippers / In-Line Drip Tubing / Retrofit Adapters & Convert
Top-Hat Jets & Retrofit Pop-up Adapters® for Rainbird®, Hunter®, Toro®, & K-Rain
4 — Vertical Hang Assembly® Deflectors, Weights & Check Valves / Smart Micro Valves / 1/2" Poly Tubing & Fittir
Faucet Irrigation Timer / Hose Fittings for Outside Faucet / 1/2" Retrofit Fittings
6 Limited Warranty / Terms & Condition
7 ————————————————————————————————————
8
9 ————————————————————————————————————

TOLL FREE TEL: (800) 881-6294

TEL: (863) 439-3667

E-MAIL: sales@maxijet.com

TOLL FREE FAX: (800) 441-6294

FAX: (863) 439-6608

ONLINE: www.maxijet.com

# **Price List**

# Selecting Orifice Size

We have updated most of our Jet Threads to our new Lock-tight Threads.



Maxijet orifice sizes are distinguished by color. When ordering jets and bases, it is important to understand the distinction between colors and how those colors are represented within product part numbers. Here is a quick reference key followed by example part numbers:

	Orifice	Le	tter Designation		Orifice	Le	tter Designation
Color	Size	With	nin Part Numbers	Color	Size	With	nin Part Numbers
Black	.03"	В	[MAB36E1]	Green	.05"	G	[MA <b>G</b> 36E1]
Orange	.033"	0	[MAO36E1]	Yellow	.055"	Υ	[MAY36E1]
Blue	.04"	U	[MAU36E1]	Red	.06"	R	[MAR36E1]
Violet	.044"	٧	[MAV36E1]	White	.07"	W	[MAW36E1]

One Piece Max-One Spray Jets

\*The higher list price on Max's is due to the extra cost in manufacturing based on lower volume sales.

Product Info: Made of high-quality, UV-inhibiting resins. Not all jets are available with all orifice sizes. Please review part numbers for availablility. See page 16 for special contractor pricing.










MAB36L1HDR MAO36L1HDR MAV36L1HDR Note the higher list price







**High Density Reset** 



100 / 500 .23lbs / 1.12lbs MAB30L1 MAO30L1 MAU30L1 MAV30L1 MAG30L1 MAY30L1 MAR30L1 MAW30L1 Note the higher list price










Max-10 Fill-In 240° (240° x 10 Medium-Angled Filled-In Streams)

.23lbs / 1.12lbs 100 / 500 MAB24P1 MAO24P1 MAU24P1 MAV24P1 MAG24P1 Note the higher list price







10.5' up to 28' Dia.



# Max-14 Stream (360° x 14 Medium-Angle Distance Streams)

100 / 500 MAR36E1 MAQ36E1 MAU36E1 MAV36E1 MAQ36E1 MAY36E1 MAR36E1 MAW36E1



# Max-14 Channel Stream (360° x 14 Medium-Angle Distance Streams)

100 / 500 .23lbs / 1.14lbs

MAB36C1 MAO36C1 MAU36C1 MAV36C1 MAG36C1 MAY36C1 MAR36C1 MAW36C1 Note the higher list price











# Max-Cone Down Fan (360º Down Fan Spray)

\$.6049 100 / 500 .22lbs / 1.10lbs


MAU36D1 MAG36D1 MAR36D1

\$.6683 100 / 500 .22lbs / 1.10lbs

MAB36D1 *MAO36D1* MAV36D1 *MAY36D1* MAW36D1 For these Max-Cone Down Fan orifice sizes, the higher List PRICE is due to the extra cost in manufacturing based on lower volume sales of these items.









# Max-Cone Down Stream (360° x 14 Down Stream Spray)

\$.6049 100 / 500 .22lbs / 1.11lbs

MAB36Z1

100 / 500 .22lbs / 1.11lbs

MAO36Z1 MAU36Z1 MAV36Z1 MAG36Z1 MAY36Z1 MAR36Z1 MAW36Z1 For these Max-Cone Down Stream orifice sizes, the higher List PRICE is due to the extra cost in manufacturing based on lower volume sales of these items.








# Max-Pot Down Fill-In (6 Down Streams for Inside Edge of Containers)

\$.6683 100 / 500 .22lbs / 1.11lbs MABSPL1 MAOSPL1 MAUSPL1 MAVSPL1 MAGSPL1 Note the higher list price Downspray -16º








# Max-Cross Down Stream (2 Down Streams per 4 Square Pots)

\$.6683 100 / 500 .22lbs / 1.11lbs MAB36N1 MAO36N1 MAU36N1











# Selecting Orifice Size

# We have updated most of our Jet Threads to our new Lock-tight Threads.



Maxijet orifice sizes are distinguished by color. When ordering jets and bases, it is important to understand the distinction between colors and how those colors are represented within product part numbers. Here is a quick reference key followed by example part numbers:


Color	Orifice Size		tter Designation nin Part Numbers
Black	.03"	В	[MAB36E1]
Orange	.033"	0	[MAO36E1]
Blue	.04"	U	[MAU36E1]
Violet	.044"	٧	[MA <b>V</b> 36E1]

Color	Orifice Size		tter Designation nin Part Numbers
Green	.05"	G	[MAG36E1]
Yellow	.055"	Υ	[MAY36E1]
Red	.06"	R	[MAR36E1]
White	.07"	w	[MAW36E1]


# One Piece Max-One Spray Jets

\*The higher list price on Max's is due to the extra cost in manufacturing based on lower volume sales.


Product Info: Made of high-quality, UV-inhibiting resins. Not all jets are available with all orifice sizes. Please review part numbers for availability. See page 15 for special contractor pricing.







Product Info: Made of high-quality, UV-inhibiting resins. Swap Tops cannot be used with all MAX Jets. Please review all information for compatibility.



 List Price
 Bag Qty
 Bag Wt

 Swap Tops (All Colors/Patterns)
 \$.7226
 100 / 1000
 .25 lbs / 2.50 lbs

 MAB6E6P MAO8E5P MAU6E9P MAG6E8P MAY4E9P


Swap Tops Can Be Used With These Jets









Product Info: Made of high-quality, UV-inhibiting resins. Spinners are not available in all orifice sizes. Please review part numbers for availability.





# Winged One-Piece Landscape Spray Jets →

Product Info: Made of high-quality, UV-inhibiting resins. Winged Jets are not available in all orifice sizes. Please review part numbers for availability.





# Ag Single Piece Spray Jets ¬

Product Info: Made of high-quality, UV-inhibiting resins. One-Piece Jets are not available in all orifice sizes. Please review part numbers for availability.










Cone Sprayer

**Deflectors** 

.34 lbs / 1.70 lbs

Product Info: Sprays a fine cone mist when installed overhead, size of wetting area can be adjusted by changing the sprayer height. Ideal for greenhouses.



Product Info: All Deflectors can be purchased separately or assembled with a base. Flow Rate is determined by base. **List Price List Price Bag Qty** Bag Wt **Bag Qty** Bag Wt Spray Pattern Spray Angle 30º End-Strip (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$1.2927 100 / 500 MAB030D (deflector only) ANC030 ANO030 ANU030 ANV030 ANG030 ANY030 ANR030 ANW030 40° Center-Strip (20° x 2 Medium-Angle Spray) **Assembled With Base** ш 100 / 500 .23 lbs / 1.15 lbs 100 / 500 ANC040 ANO040 ANU040 ANV040 ANG040 ANY040 ANR040 ANW040 MAB040D (deflector only) 40° Opposing-Stream (20° x 2 Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$.9006 100 / 500 MAB040DFP (deflector only) ANC040FP ANO040FP ANU040FP ANV040FP ANG040FP ANY040FF ANR040FP ANW040FP 90º Quarter Circle Fan (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$1.2927 ANC090 ANO090 ANU090 ANV090 ANG090 ANY090 ANR090 MAB090D (deflector only) 90º High Angle Fan (High-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$1.2927 100 / 500 MABA90D (deflector only) ANCA90 ANOA90 ANUA90 ANVA90 ANGA90 ANYA90 ANRA90 165º Half Circle Fan (165º Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs MAB180D (deflector only) ANC180 ANO180 ANU180 ANV180 ANG180 ANY180 ANR180 ANW180 180º x 8 Stream (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$1.2927 100 / 500 MAB188D (deflector only) ANC188 ANO188 ANU188 ANV188 ANG188 ANY188 ANR188 ANW188 280º Fan (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$.7962 .33 lbs / 1.65 lbs 100 / 500 MAB280D (deflector only) ANC280 ANO280 ANU280 ANV280 ANG280 ANY280 ANR280 ANW280 300° x 12 Stream (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs \$.7962 100 / 500 MAB312D (deflector only) ANC312 ANO312 ANU312 ANV312 ANG312 ANY312 ANR312 ANW312 360° x 14 Stream (Medium-Angle Spray) **Assembled With Base** 100 / 500 .23 lbs / 1.15 lbs 100 / 500 MAB36ED (deflector only) ANC36E ANO36E ANU36E ANV36E ANG36E ANV36E ANR36E ANW36E 360° x 14 Stream Green (Vertical Hang, Flat Spray) **Assembled With Base** .23 lbs 100 / 500 MAG36BD (deflector only) ANC36N ANO36N ANU36N ANV36N ANG36N ANY36N ANR36N ANW36N 360° x 14 Fill-In *Blue* (Vertical Hang, Flat Spray) **Assembled With Base** \$.7962 100 \$1.2927 100 / 500

.23 lbs

MAU36VD (deflector only)

800-881-6294 Pg4

ANC36V ANO36V ANU36V ANV36V ANG36V ANY36V ANR36V ANW36V

# Bases →

**Product Info:** Bases are made of high-quality, UV-inhibiting resins and are used with Caps and Deflectors.

List Price Bag Qty Bag Wt

Color-Coded Base for Deflectors and Caps

\$.3479 100/1000 .11 lbs/1.50 lbs

MABBAS MAOBAS MAUBAS MAVBAS MAGBAS MAYBAS MARBAS MAWBAS Note: When Caps and Deflectors are assembled on a BLACK base, the letter designation is "C" instead of "B"

Stake Assemblies have multiple length and color options for Vinyl Tubing.

Choose the right length and color for every application

STANDARD VINYL LENGTHS: 18", 24", 30", 36", 48" AVAILABLE VINYL COLORS: Black, Blue, Green, Tan








\*\* Maxijet Caps are still available Please see maxijet.com or call Customer Service at 800-881-6294

# Jet Cleaning Tools

Part No	Description	List Price	Bag Qty	Bag Wt		
AKY3CLTK	Cleaning Tool for Black Orifices and Larger	\$1.8066	100	.35 lbs	ATA	
Bulk Jar - 50 Count					V III V	Married
XJ-AKY3CLTK	Cleaning Tool for Black Orifices and Larger - Jar of 50	\$103.3776	50	.25 lbs		Gean out To
				_		Nay = M3. ANY3CL

# Maxijet Repair Kit →

Part No	Description	List Price	Qty	Bag Wt	
MJREPAIRKIT	Repair Kit includes 31 highly used Micro Sprays and	\$232.1789	1	1.87 lbs	W. whiteness W
MJTACKLEBOX	Accessories totaling 163 pieces Tackle Box - Empty with No Parts included	\$57.0812	1	.96 lbs	NAME OF THE PERSON OF THE PERS
	4 x 24 Adjustable Compartments w/ 2 Pro Latches				



Black

Orange

Green

Tan

Black

Green

Black

Orange





All of the Stakes below will use our Standard Vinyl Tubing (.145" ID x .295" OD)

Product Info	: These Stakes a	are 13" tall and are n	nade with high-quality, UV-inhibiting resins.			
		Part No	Description	List Price	Box Qty	Box Wt
week?	rests.					
-	1	13" Clip Stakes MSBCLP	Black Clip Stake	\$1.3531	400	28 lbs
	- 1		·	•		
13" Clip Stake horty w/ Depth Ring	- 11	MSOCLP	Orange Clip Stake (Trademarked Color)	\$1.5167	400	28 lbs
	A	MSLCLP	Green Landscape Clip Stake (Trademarked Color)	\$1.5462	400	28 lbs
		MSTCLP	Tan Clip Stake	\$1.5462	400	28 lbs
Stak	b Stake	MSVCLP	Violet Clip Stake	\$1.5908	400	28 lbs
3" Clip	13" Barb	13" Barb Stakes				
÷	=	MSBBRB	Black Barb Stake	\$1.3531	400	30 lbs
	- 11	MSLBRB	Green Landscape Barb Stake (Trademarked Color)	\$1.5462	400	30 lbs
1_	V	8" Shorty Clip Sta	akes			
g I		MSBCLP-S	Black Shorty Clip Stake w/ Stopping Depth Ring	\$1.2043	500	23 lbs
oth Ri	+	MSOCLP-S	Orange Shorty Clip Stake w/ Stopping Depth Ring	\$1.3680	500	23 lbs
W/ De	1	2" Cross Stake				
orty	O" Crees Stake	<b>MSBCROSS</b>	2" Cross Stake for Nurseries Using Benches w/ 4"-5" Square Pots	\$3.3456	1,000	11.20 lbs
8" Sho	2" Cross Stake Patent Pending	Stake Assemblie	es - Please call to inquire about options and pricing. es can be customized to meet specific needs.			

Product Info: Extension Risers can be used to extend the height of a stake assembly or inserted directly into poly or PVC.

_	_		Part No	Description	List Price	Bag Qty	Bag Wt
_	- 1	R.	Extension Ri	sers (No Threads)			
	- 1	100	MNB04	4" Rigid Extension	\$.1659	100	.63 lbs
_		I	MNB06	6" Rigid Extension	\$.2102	100	.94 lbs
MNB08	- 1		MNB08	8" Rigid Extension	\$.2756	100	1.25 lbs
2	₽	- 1	MNB12	12" Rigid Extension	\$.4215	100	1.82 lbs
	BXC08T	- 1	MNB18	18" Rigid Extension	\$.6383	100	2.80 lbs
- 1		×	Extension Ri	ser Assemblies			
	- 1	BXC08TX	BXC08T	8" Rigid Extension with 10-32 Lock-Tight Threads	\$.8338	50	.70 lbs
		Ä	BXC12T	12" Rigid Extension with 10-32 Lock-Tight Threads	\$.9797	50	.99 lbs
- 1	- 1	- 1	BXC08TX	8" Rigid Extension / On/Off Valve / 10-32 Lock-Tight Threads	\$2.2080	50	1 lbs
- 1		100	BXC12TX	12" Rigid Extension / On/Off Valve / 10-32 Lock-Tight Threads	\$2.3539	50	1.5 lbs

to lock Jets into .145" ID x .295" OD Vinyl

Product Info: Vinyl Collars are only used with clip stakes and help securely hold jets in the vinyl tubing.

		Part No	Description	List Price	Bag Qty	Bag Wt
		Vinyl Collars				
100		MOB	Orange Vinyl Collar	\$.1874	100 / 1000	.17 lbs / 1.62 lbs
1450		MEB	Black Vinyl Collar	\$.1874	100 / 1000	.17 lbs / 1.62 lbs
MEB	161	Tab Collars				
	10	<b>MOBEXTAB</b>	Orange Vinyl Collar with Tab (tab keeps jets from turning)	\$.1874	100 / 1000	.13 lbs / 1.30 lbs
	-	<b>MEBEXTAB</b>	Black Vinyl Collar with Tab (tab keeps jets from turning)	\$.1874	100 / 1000	.13 lbs / 1.30 lbs
	w	Clip Stake Stem				
MOBEXTAB	MJBBSC9	MJBBSC9	Clip Stake Stem - Barb x Stem	\$.2676	100 / 500	.4 lbs / 2 lbs

Part No

Description

Wt

**Bundle Qty** 

**List Price** 

Standard Vinyl

145" I.D. x .295" O.D.

### .295" OD Standard Vinyl Tubing (.145" ID x .295" OD) 10 lbs MVB18 18" Cut Black Standard Vinyl Bundle \$.5009 200 MVB24 24" Cut Black Standard Vinyl Bundle 14 lbs \$.6678 200 MVB30 \$.8348 200 30" Cut Black Standard Vinyl Bundle 17 lbs MVB36 36" Cut Black Standard Vinyl Bundle \$1.0018 100 9 lbs MVB48 48" Cut Black Standard Vinyl Bundle \$1.3357 100 13 lbs **MVB100B** 100' Box — Black Standard Vinyl \$41.2266 4 lbs **MVB500** 500' Reel — Black Standard Vinyl \$183.4196 17 lbs MVB500B 500' Box — Black Standard Vinyl \$178.3277 17 lbs MVB500BKT 500' Bucket — Black Standard Vinyl \$215.2951 19 lbs MVU18 18" Cut Blue Standard Vinyl Bundle \$.5354 200 10 lbs MVU24 24" Cut Blue Standard Vinyl Bundle \$.7139 200 14 lbs MVU30 \$.8924 30" Cut Blue Standard Vinyl Bundle 200 17 lbs MVU36 36" Cut Blue Standard Vinyl Bundle \$1.0709 100 9 lbs MVU48 48" Cut Blue Standard Vinyl Bundle \$1.4279 100 13 lbs **MVU100B** 100' Box — Blue Standard Vinyl \$41.5525 4 lbs **MVU500** 500' Reel - Blue Standard Vinyl \$197.6934 17 lbs MVU500B 500' Box — Blue Standard Vinyl \$192.2514 17 lbs 19 lbs MVU500BKT 500' Bucket — Blue Standard Vinyl \$229.2228 MVL100B \$44.0442 100' Box — Green Standard Vinyl 4 lbs MVL500 500' Reel — Green Standard Vinyl \$210.4133 17 lbs MVL500B 500' Box — Green Standard Vinyl \$204.8699 17 lbs MVL500BKT 500' Bucket — Green Standard Vinyl \$241.8412 19 lbs **MVT100B** 100' Box — Tan Standard Vinyl \$49.8311 4 lbs **MVT500** 500' Reel — Tan Standard Vinyl \$220,2446 17 lbs MVT500B 500' Box — Tan Standard Vinyl \$214.4341 17 lbs MVT500BKT 500' Bucket — Tan Standard Vinyl \$251.4057 19 lbs **MVW100B** 100' Box — White Standard Vinyl \$49.8311 4 lbs MVW500 500' Reel - White Standard Vinyl \$220,2446 17 lbs MVW500B 500' Box — White Standard Vinyl \$214.4341 17 lbs MVW500BKT 500' Bucket — White Standard Vinyl \$251.4057 19 lbs

Our Vinyl Tubing is the most flexible & durable in the irrigation industry.

**Maxijet Standard Vinyl** .145" ID x .295" OD

> Available Colors: Black, Blue, Green, Tan, White



200 Piece bundles of 24" and 30" Vinvl



100 Piece bundles of 36", 48", and 60" Vinyl





500 Ft. Reel



500 Ft. Bucket

Standard Vinyl Tubing to be used with our Clip Stakes, Barb Stakes, Elbow Stakes, Nursery Rod Stakes, Dual Stakes, Cross Stakes or Drippers.

# **Maxijet Small Vinyl Tubing**

.140" ID x .240 OD

Available Colors: Black, Blue

# **PE Tubing**

.187" OD x .125" ID

Available Lengths: 1,000' & 3,000' Reels

30" & 36" Standard Cut Lengths



MVB1000-140X240	1000' Reel — Black .240" OD Small Vinyl	\$285.0524	21 lbs
MVU1000-140X240	1000' Reel — Blue .240" OD Small Vinyl	\$301.9324	21 lbs
Small Vinyl Tubing to h	ne used with our Threaded Pot Stakes Flhow	Stakes Nursery	Rod

Stakes, Dual Stakes, or Drippers.

PF Tubing (187" OD x 125" ID)

i E Tubing (or	OD X.1120 1D)		
MXB1000PE1/8"	1000' Reel .187" OD x .125" ID PE Tubing	\$139.9762	7 lbs
MXB3000PE1/8"	3000' Reel .187" OD x .125" ID PE Tubing	\$412.1669	21 lbs
MXB30PE1/8"	30" CUT of .187" OD x .125" ID PE Tubing	Call Factory for Price	
MXB36PE1/8"	36" CUT of .187" OD x .125" ID PE Tubing	Call Factory for Price	

PE Tubing to be used with our Groove Pot Stake or 1/8" x 1/8' Barb.




Product Info: Customize any system with these adapters. Threaded adapters may also be used with the Extension Risers (pg 6).

		Part No	Description	List Price	Bag Qty	Bag Wt
4	ı.	MJBBXB9	Large .195" Barb x .195" Barb	\$.2609	100 / 500	.27 lbs / 1.34 lbs
MJBBXB9	MJBBXB6	MJBBXB6	Small .180" Barb x .180" Barb	\$.2609	100 / 500	.27 lbs / 1.30 lbs
₽.	Į.	MJBBXT9	Large .195" Barb x 10-32 Triple-Lead Threads	\$.2609	100 / 1000	.12 lbs / 1.20 lbs
MJBBXT9	MJBBXT6	MJBBXT6	Extra Small .160" Barb x 10-32 NFT Threads	\$.4054	100 / 1000	.12 lbs / 1.20 lbs
		MJBBLB7	Elbow — .180" Barb x .180" Barb	\$.4215	100 / 1000	.17 lbs / 1.65 lbs
MJBBLB7	MJBBTB7	MJBBTB7	Tee — .180" Barb x .180" Barb	\$.4215	100 / 1000	.24 lbs / 2.37 lbs
-	<b>↓</b> MJBE	MJBBCR8	Cross — .180" Barb x 4	\$.8058	100 / 1000	.29 lbs / 2.90 lbs
MJBBCR8	MJBTXT	MJBTXT	10-32 Triple-Lead Threads x 10-32 Lock-Tight Threads	\$.2609	100 / 1000	.17 lbs / 1.70 lbs

□ Dan® / Eintel® Stake Adapters

Product Info: Convert Dan®, Eintel® and Rondo® Stakes to Maxijet with these adapters.



Part No	Description	List Price	Bag Qty	Bag Wt
MEDAN	Adapts Dan® Stakes for use with Maxijet Jets	\$.5354	100	.2 lbs
MJOED	Adapts Dan® and Eintel® Stakes for use with Maxijet Jets	\$1.0171	100	.495 lbs
MJBCO	B9 Adapts Rondo® Jets for use with Maxijet Tubing (Conical x Large Barb)	\$.4281	100	.27 lbs

**Product Info:** These adapters are used to connect Standard and Pot Stake Vinyl Tubing to poly tubing which has been punched with larger or smaller holes, or to adapt Maxijet Vinyl to the tubing of other manufacturers.



MJ18X18	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing	\$.3746	100	.15 lbs
MJ18X14	1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID Vir	ıyl \$.3746	100	.15 lbs




**MCTTXS** 

MJBBXB925	.225" Barb x .195" Barb converts Dan® and Eintel® vinyl to Maxijet vinyl	\$.1.0171	100	.27 lbs
MJBBXB96	Large .195" Barb x Small .180" Barb	\$.5219	100	.20 lbs

Product Info: PVC Saddles are constructed of high-quality UV inhibiting resins and allow Vinyl Tubing to be connected directly to PVC.

	Part No	Description	List Price	Bag Qty	Bag Wt
MJB12B9	MJB12B6	1/2" PVC Saddle with .180" Barb Outlet	\$.5754	100	.80 lbs
	MJB12B9	1/2" PVC Saddle with .195" Barb Outlet	\$.5754	100	.80 lbs
	MJB34B9	3/4" PVC Saddle with .195" Barb Outlet	\$4.4496	100	1.10 lbs

Product Info: Flow Controllers use a small diaphragm to keep GPH and pressure consistent from jet to jet. Flow Controllers are available in seven flow rates from 5.3 GPH to 35 GPH.





# On-Off 1/4" Valves →

Product Info: On-Off Valves allow the water flow from individual jets to be adjusted up and down or turned off completely.

Part No	Description	List Price	Bag Qty	Bag Wt	
MJBSBV	.180" Barb Inlet x Stem (for inserting jets) On-Off 1/4" Valve	\$1.1509	100	.54 lbs	1
MJBBMV9	.180" Barb Inlet x .180" Barb Outlet On-Off 1/4" Valve	\$1.1509	100	.54 lbs	
MJBTMV	10-32 Thread Inlet x 10-32 Thread Outlet On-Off 1/4" Valve	\$1.1509	100	.54 lbs	
MJBBTV9	10-32 Thread Inlet x .180" Barb Outlet On-Off 1/4" Valve	\$1.1509	100	.54 lbs	1
MJBSTV	10-32 Thread x Stem (for applying a jet) On-Off 1/4" Valve	\$1.6727	100	.54 lbs	
MABADJ	10-32 Thread x Base (for applying a cap) On-Off 1/4" Valve	\$2.1613	100	.54 lbs	



MJBBTV9 MJBSTV

MABBGF

# Micro Filter →

Part No	Description	List Price	Bag Qty	Bag Wt
MJFSMT	Single Thread Inlet x Stem (for inserting jets) Micro Filter	\$2.0877	100	1.60 lbs
Pro	oduct Info: The Micro Filter has an 80 mesh stainless steel screen for filt	tering dirt, debris, a	and ants.	
	* Ideal for use with Black and Orange orifice jets.			
	* To clean, just remove the filter, flip over and flush wit	h water.		

Goof Plugs / Barb Cap

Product Info: Goof plugs are used to plug holes made by mistake or left over after moving a jet or dripper to a new location. They can also be used to end a line of Vinyl Tubing

Part No	Description	List Price	Bag Qty	Bag Wt			
MLBLRG	.200" Hex Top Large Goof Plug to plug .180" and .195" barb holes	\$.1805	500	.92 lbs	W		-
MLBLRGWG	.200" Winged Large Goof Plug to plug .190" and .195" barb holes	\$.1805	500	1.04 lbs	MLBLRG	N	ИLЕ
MLBSML	.185" Small Goof Plug used to plug .125" up to .180" barb holes	\$.1874	500	1.20 lbs	1	T	
MLBLRSM	.155" x .226" Double-Sided Goof Plug to plug .125" up to .195" barb holes	\$.1805	100	.25 lbs	T	MLBSML	
MABBGP	10-32 Threaded Goof plug used to plug Stakes, Shrub Adapters and PVC	\$.8263	100	.09 lbs	MLBLRSM		Ν
<b>MJBARBCAP</b>	Barb Cap to push onto .180" Barbs to shut off flow	\$.2409	100	.10 lbs	N	IJBARBCAI	P

Punch Tools →

Description

Part No

**Product Info:** Maxijet Tools assist with everything from installation to assembly and cleaning.

					MJTOOLG
MJTOOLGAA	Large Metal Tip All-In-One Tool (for .195" Barbs) w/ Jet Cleaning Tool	\$20.5816	20	1.90 lbs	II all too
AKULGAA	Large Ag Punch Tool with Metal Tip (for .195" Barbs)	\$17.9855	20	1.91 lbs	AKULGAA
MJTOOLPRO	Small Metal Tip All-In-One Tool (for .125"180" Barbs) w/ Jet Cleaning Tool	\$20.5816	20	1.90 lbs	MJTOOLPF
AKOSMAPROS	Small Ag Punch Tool with Metal Tip and Hex Wrench (for .125"180" Barbs)	\$17.9855	20	1.85 lbs	AKOSMAPRO
MJTOOL	1/2" Poly Plastic All-In-One Tool (for .125"180" Barbs) w/ Jet Cleaner	\$14.3857	20	1.86 lbs	
MKOSPT	Small Orange Plastic Tip Punch Tool (for .125"180" Barbs)	\$5.4063	20	.46 lbs	MJTOOL
MKUDEF	Deflector Tool used to assemble / disassemble Deflectors and Bases	\$11.3479	20	1.19 lbs	<b>(4)4440000000</b>
Ponlacoment Parts					MKUDEF
Replacement Parts	Large Metal Replacement Punch Tip for AKULGAA / MJTOOLGAA	\$9.3540	200	.25 lbs	

List Price Bag Qty Bag Wt

Small Metal Replacement Punch Tip for AKOSMAPROS / MJTOOLPRO \$9.3540





Product Info: Support and End Stakes help hold Poly and Vinyl Tubing in place while Nail Stakes are ideal for securing ground cover.

		Part No	Description	List Price	Box Qty	Box Wt
	-	0				
3 6		Support Stakes MSB404U	Black 1/4" x 5" Support Stake for Maxijet Standard Vinyl Tubing	\$.4323	2000	27 lbs
		MSR404U	Red 1/4" x 5" Support Stake for Maxijet Standard Vinyl Tubing	\$.4323	2000	27 lbs
- I		MSB206U	Support Stake for 1/2" Poly Tubing - 1/2" x 6"	\$1.6057	600	23 lbs
MSB404U		End Stakes	Support Stake for 172 Tory Tubing - 172 X S	Ψ1.0037	000	23 103
MSB20	14E	MSOE14E	Orange 14" End Stake for 3/4" and 1" Poly Tubing	\$4.6392	150	19 lbs
ž	ш м	MSBE14E	Black 14" End Stake for 3/4" and 1" Poly Tubing	\$3.9998	150	19 lbs
ı	MSBNAL1	MSOE18E	Orange 18" End Stake for 3/4" and 1" Poly Tubing	\$6.0069	100	23 lbs
	2	MSBE18E	Black 18" End Stake for 3/4" and 1" Poly Tubing	\$4.6392	100	23 lbs
	- 1 1	Nail Stake				
		MSBNAL13	13" Nail Stake (patent # 378,890)	\$4.3492	1 EA	.1 lbs


**Product Info:** These high-quality regulators can be buried and have a maximum operating pressure of 70 PSI.

		Product info. These high-quality regulators can be buried and		1 01	
	Part No	Description	List Price	Bag Qty	Bag Wt
3/4" MPT Inlet x	MMB06P	6 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs
3/4" FPT Outlet	MMB10P	10 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs
	MMB15P	15 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs
	MMB20P	20 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs
	MMB25P	25 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs
	MMB35P	35 PSI 3/4" MPT Inlet x 3/4" FPT Outlet Pressure Regulator	\$24.8237	5	.7 lbs

Product Info: These Flush Valves are made of high-quality UV inhibiting resins and are available with with female hose or pipe threads.

		Part No	Description	List Price	Bag Qty	Bag Wt
		AFO2PSU	2 PSI 3/4" FPT Auto Flush Valve (also available in box quantities)	\$3.9998	100	2.81 lbs
		AFO5PSL	5 PSI 3/4" FPT Auto Flush Valve (also available in box quantities)	\$3.9998	100	2.81 lbs
		AFR2HSU	2 PSI 3/4" FHT Auto Flush Valve (also available in box quantities)	\$3.9998	100	2.81 lbs
	7	AFR5HSL	5 PSI 3/4" FHT Auto Flush Valve (also available in box quantities)	\$3.9998	100	2.81 lbs
AFO5PS	L	Replacement F	Parts			
$\Lambda \Lambda \Lambda \Lambda \Lambda$	A A	MFRSPR2	2 lbs Spring used with Blue Plunger and Blue O-Ring	\$.3196	100	.03 lbs
W V V V	V W	MFSSPR5	5 lbs Spring used with Black Plunger and Black O-Ring	\$.3196	100	.03 lbs
MFRSP	R2	MFUPLG2	Blue Plunger	\$.7733	100	.2 lbs
- 101		MFBPLG5	Black Plunger	\$.7733	100	.2 lbs
		MFUWSH2	Blue O-Ring Washer™	\$.4803	100	.3 lbs
MFUPLG2	MFUWSH2	MFBWSH5	Black O-Ring Washer™	\$.4803	100	.3 lbs

Product Info: These clips and ties are made with high-quality UV inhibiting resins.



# **Nursery Pot Stakes**

Product Info: These Stakes are made with high-quality UV inhibiting resins and are used primarily with potted plants in nurseries. (patent # 7,004,403)

Part No	Description	List Price	Bag/Box Qty	Bag/Box Wt			
Nursery Threa	aded Pot Stake (180º Down-Spray)				1		
MSBNPST	Black Nursery Threaded Pot Stake (6.4 GPH @ 20 PSI)	\$.5720	100/500	2.10 lbs/12 lbs	1	Ł	
MSUNPST	Blue Nursery Threaded Pot Stake (10.5 GPH @ 20 PSI)	\$.5720	100/500	2.10 lbs/12 lbs	Stake	F	'
MSGNPST	Green Nursery Threaded Pot Stake (16 GPH @ 20 PSI)	\$.5720	100/500	2.10 lbs/12 lbs	Pot 🕌	Stake	- <del> </del>
Adjustable Po	ot Spray Stake (180º Down-Spray)				Threaded	ay St	
MSBNPST	V Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH	\$2.6220	100/1000	2.6 lbs/28 lbs	Thre	t Spray	Stake
Nursery Groo	ve Pot Stake (160º to 180º Down-Spray) Use PE (Polyethylene) Tubing size .18	37" OD x .125"	ID with our (	Groove Pot Stakes	rsery	le Por	Pot
MSONGST	Rust Nursery Groove Pot Stake / 4.2 GPH @ 20 PSI / 180º Downspray	\$.5720	100/500	2.10 lbs/12 lbs	Ž	4djustable Pot	Groove
MSLNGST	Lime Nursery Groove Pot Stake / 6.6 GPH @ 20 PSI / 180º Downspray	\$.5720	100/500	2.10 lbs/12 lbs		Adju	
MSGNGST	Green Nursery Groove Pot Stake / 11.4 GPH @ 20 PSI / 160º Downspray	\$.5720	100/500	2.10 lbs/12 lbs	·	V	Nursery
MSBNGST	Black Nursery Groove Pot Stake / 15 GPH @ 20 PSI / 160º Downspray	\$.5720	100/500	2.10 lbs/12 lbs			
MSWNGST	Brown Nursery Groove Pot Stake / 6.6 GPH @ 20 PSI / 90º Downspray	\$.5720	100/500	2.10 lbs/12 lbs			V PA
ot Stake Ass	emblies - Please call to inquire about options and pricing. Pot Stake Assemblies ca	n be customiz	ed to meet s	pecific needs.	•		U
ot Stake Exte	ender	List Price	Box Qt	y Box Wt		Δ.	nder
MSBNPE	6" Pot Stake Extender - To Raise Height On All Pot Stakes	\$.5736	1000	17 lbs	99.4		Extender
PE (Polyethy	/lene) Tubing size .187" OD x .125" ID (Use with our Groove Pot Stakes)		Lengtl	n Weight	1177	1	Stake
MXB1000P	E1/8" Black .187" OD x .125" ID x 1000' PE Tubing	\$139.976	2 1000	7 lbs	-	A	Pot 8
MXB3000P	E1/8" Black .187" OD x .125" ID x 3000' PE Tubing	\$412.166	9 3000	21 lbs			- 0
	or price on these PE products						V _


# Nursery Elbow / Rod / Dual-Clip / Shorty Stakes / Cross Stakes -

Product Info: T	hese Stakes are made with high-quality UV inhibiting resins and are used primarily in nurse	eries.				
Part No	Description	List Price	Qty	Wt		
Nursery Elbow	Stake				Nursery Clip	***
MSBELB	Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl	\$.8846	(Bag) 25	.80 lbs		
MSOELB	Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl	\$.9963	(Bag) 25	.80 lbs		e e
Nursery Rod St	ake				1011	Sta
MYB	Black Clip for Nursery Rod Stake .240" & .295" O.D. Vinyl	\$.4907 (	Bag) 1000	4.82 lbs		Dual-Clip Stake
MYO	Orange Clip for Nursery Rod Stake .240" & .295" O.D. Vinyl	\$.4907 (	Bag) 1000	4.82 lbs	61	Dua
MROD06	6" Galvanized Metal Rod for Nursery Rod Stake	\$.3345 (B	undle) 100	1.61 lbs	Stake	1 1
MROD12	12" Galvanized Metal Rod for Nursery Rod Stake	\$.4618 (B	undle) 100	3.30 lbs		Ď 1
MROD18	18" Galvanized Metal Rod for Nursery Rod Stake	\$.6223 (B	undle) 100	4.45 lbs	ursery Elbow	Je W
Dual-Clip Stake	•				Nursery Nursery Nursery	xtenc
MSBCLP-D	Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$.6921 (	Box) 1000	14 lbs		Pot Stake Extender
MSOCLP-D	Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$.7909 (	Box) 1000	14 lbs		ot St
Pot Stake Exter	nder					- "
MSBNPE	6" Pot Stake Extender	\$.5736 (	Box) 1000	17 lbs	Since 1	W I
8" Shorty Clip S	Stakes				Ring	
MSBCLP-S	Black Shorty Clip Stake w/ Stopping Depth Ring	\$1.2043	500	23 lbs	Depth Ring	
MSOCLP-S	Orange Shorty Clip Stake w/ Stopping Depth Ring	\$1.3680	500	23 lbs	3	
2" Cross Stake					Shorty	Ŧ
<b>MSBCROSS</b>	2" Cross Stake for Nurseries Using Benches w/ 4"-5" Square Pots	\$3.3456	1,000	11.20 lbs	Ω	
,	l, Dual-Clip, Shorty, and Cross Stake Assemblies - Please call to inquire about optior meet specific needs.	ns and pricing. A	Assemblies c	an be		2" Cross St (Patent Pen



# NON PC Drippers / PC Drippers / Adjustable Drippers / Adjustable Drippers Stakes 0-10 GPH

Product Info: Drippers deliver small, consistent amounts of water. Adjustable Drippers can be turned off or adjusted from a 1 GPH drip up to small 10 GPH 8-stream spray.



Product Info: Pressure Compensating drippers embedded in tubing every 6 or 12 inches.

			1 0 11			
Part No	Description			List Price	Qty	Coil Wt
	ALL S					
		MQDT100	1/4" Brown Drip Tubing 100 FT - 1/2 GPH PC Dripper every 12"	\$77.4820	1	1.22 lbs
		MHDT100	1/2" Brown Drip Tubing 100 FT - 1 GPH PC Dripper every 12"	\$112.6902	1	4.80 lbs
		MINDITIOU	1/2 Brown Drip rubing 100 FT - 1 GFH FC Dripper every 12	\$112.0902		-t.00 ib3
MQDT100	MHDT100					

# Retrofit Sprinkler Adapters / Converters


**Product Info:** These Sprinkler Adapters and Converters are constructed of high-quality UV inhibiting resins and are used to convert high-volume PVC systems to low-volume.

		Part No	Description	List Price	Qty	Bag Wt
A 6	F	1/2" Female Pi	pe Thread Adapters			
نگ باشار		MBBT	1/2" FPT Shrub Adapter w/ 10/32 Self Tapped Hole for Jets	\$1.5018	50	.82 lbs
MBBT		BHCF	1/2" FPT Shrub Adapter w/ White Filter Screen	\$3.2428	50	1.02 lbs
BHO	DF BHCEF	BHCUF	1/2" FPT Shrub Adapter w/ Blue P.C. Filter Screen	\$4.7699	50	1.06lbs
<b>6</b> . ••	71	BHCGF	1/2" FPT Shrub Adapter w/ Green P.C. Filter Screen	\$4.7699	50	1.06 lbs
		BHCRF	1/2" FPT Shrub Adapter w/ Red P.C. Filter Screen	\$4.7699	50	1.06 lbs
BHCTF	т.	BHCEF	1/2" FPT Shrub Adapter w/ .180" Barb Outlet and Filter Screen	\$3.9619	50	1.10 lbs
	BH4CEUFC	BHCTF	1/2" FPT Shrub Adapter w/ Two .180" Barb Outlets and Filter Screen	\$3.9619	50	1.14 lbs
		BH4CEUFC	1/2" FPT Shrub Adapter w/ Four .180" Barb Outlets, Filter Screen & 4 Caps	\$8.6042	50	1.21 lbs
1		MMPRM9	1/2" FPT Converter w/ Nine .160" Barb Outlets, Filter Screen and Caps	\$31.1466	1	.12 lbs
MMPRM9		MJBSPR1	1/2" FPT x 1/2" MPT Adapter w/ .180" Barb Elbow Side Outlet	\$5.3261	50	1.30 lbs
N	JBSPR1					
		Filter Screen				
		MRB	White Filter Screen (Screen hole size less than .02")	\$1.5924	100	.20 lbs
	MRB	Shut Off Caps				
		MJBFPTCAP	1/2" FPT Female Pipe Threaded End Cap	\$1.7657	50	.70 lbs

Barb Cap to push onto .180" Barbs to shut off flow

Product Info: Made of high-quality, UV-inhibiting resins. Top Hat Jets are not available with all orifice sizes, please review part numbers. See page 16 for special contractor pricing.





- Use with our Pop-Up Retrofit Adapters
- Top of jet sits flush with with top of Pop-Up to help keep out debris

# 

**Product Info:** These Pop-Up Adapters convert high-volume Pop-Up Sprinklers to low-volume. They work with the following brands: Rainbird®, Hunter®, Irritrol®, Buckner®, Nelson®, and Champion®. (Patent # 5,265,803)

Part No	Description	List Price	Bag Qty	Bag Wt	
MDBRNB	Rainbird® / Hunter® Pop-Up Adapter only (No Filter)	\$1.8735	100	.50 lbs	400
BRCF	Rainbird® / Hunter® Pop-Up Adapter with white filter screen	\$3.6145	100	.70 lbs	
BRCUF	Rainbird® / Hunter® Pop-Up Adapter with Blue P.C. Filter Screen	\$5.1416	100	.80 lbs	MDBRNB
BRCGF	Rainbird® / Hunter® Pop-Up Adapter with Green P.C. Filter Screen	\$5.1416	100	.80 lbs	Female
BRCRF	Rainbird® / Hunter® Pop-Up Adapter with Red P.C. Filter Screen	\$5.1416	100	.80 lbs	Threads BRCF

Pop-Up Adapter Assemblies - Please call to inquire about options and pricing. Adapters can be assembled with any filter screen / Top Hat Jet combination.

# Toro® / K-Rain® Retrofit Pop-Up Adapters® w/ Male Threads →

Product Info: These Pop-Up Adapters convert high-volume Pop-Up Sprinklers to low-volume. They work with the following brands: Toro®, K-Rain®, and HIT® (Patent # 5,265,803)

Part No	Description	List Price	Bag Qty	Bag Wt				
MDBTRO	Toro® / K-Rain® Pop-Up Adapter Only (No Filter)	\$1.8735	100	.40 lbs	toltani			
BTCF	Toro® / K-Rain® Pop-Up Adapter with White Filter Screen	\$3.6145	100	.60 lbs				
BTCUF	Toro® / K-Rain® Pop-Up Adapter with Blue P.C. Filter Screen	\$5.1416	100	.80 lbs	100			
BTCGF	Toro® / K-Rain® Pop-Up Adapter with Green P.C. Filter Screen	\$5.1416	100	.80 lbs	MDBTRO			
BTCRF	Toro® / K-Rain® Pop-Up Adapter with Red P.C. Filter Screen	\$5.1416	100	.80 lbs	Male Threads			
pp-Up Adapter Assemblies - Please call to inquire about options and pricing. Adapters can be assembled with any ter screen / Top Hat Jet combination.								
ilter Screen		List Price	Bag Qty	Bag Wt				
MRB	White Filter Screen (Screen hole size less than .02")	\$1.5924	100	.20 lbs				
					MRB			





Product Info: These assemblies are used primarily in nurseries and greenhouses. They hang above the plants and spray from the top down.

		Part No	Description	List Price	<b>Box Qty</b>	Box Wt
	_					
1 10		Vertical Hang Weig	hts			
	MWU2	MWO35	.05 lbs 4" Orange Weight375" ID x .650" OD	\$.8177	450	21 lbs
335	Σ	MWB35	.05 lbs 4" Black Weight375" ID x .650" OD	\$.8177	450	21 lbs
MWB35		MWU2	.1 lbs 2" Blue Weight450" ID x 1.050" OD	\$.8922	200	20 lbs
1.0	s 1	Vertical Hang Chec	ck Valves	List Price	Bag Qty	Bag Wt
-	CVT	MJBCVBXS	.180" Barb X Stem Check Valve	\$5.4063	100	3.30 lbs
1	MJBC	<b>MJBCVTXS</b>	Thread X Stem Check Valve	\$5.4063	100	3.30 lbs
1	-	Vertical Hang Ass meet specific nee	semblies - Please call to inquire about options and pricing. Vertical Hang Asserds.	mblies can be	customize	ed to

Product Info: These Smart Micro Valves are for creating a dual Micro Irrigation System.

		Part No	Description	List Price	Box Qty	Box Wt
MJBCVBXB-REV	MJBCVTXS25					
MJBCVBAB-REV	WIJDCV 1 X323	MJBCVTXS25	High PSI Smart Micro Valve - Thread X Stem - Opens @ 25 PSI	\$5.4063	100	3.30 lbs
Low 4		MJBCVBXS25	High PSI Smart Micro Valve - Barb X Stem - Opens @ 25 PSI	\$5.4063	100	3.30 lbs
Low PSI		MJBCVBXB-REV	Low PSI Smart Micro Valve - Barb X Barb - Opens @ 0-17 PSI/Closes @ 18 PS	ı \$6.1156	100	3.30 lbs
	<b>***</b> ***	< High PSI is available with	a Barb or Thread Inlet			

√ 1/2" Poly Tubing

**Product Info:** Maxijet 1/2" Poly Tubing is constructed of high-quality, UV inhibiting resins, capable of handling years of wear and exposure in the field. This tubing can be buried or left above ground.

Part No	Description	List Price	Qty	Wt
MXB50	50' Coil of 1/2" Poly Tubing .600" ID x .700" OD H-Qlty. Dow 7510 PE	\$28.2496	1	1.50 lbs
MXB100	100' Coil of 1/2" Poly Tubing .600" ID x .700" OD H-Qlty. Dow 7510 PE	\$63.3104	1	3.80 lbs
MXB500	500' Coil of 1/2" Poly Tubing .600" ID x .700" OD H-Qlty. Dow 7510 PE	\$231.2417	1	20 lbs

1/2" Poly Fittings


Product Info: Customize any 1/2" Poly micro spray or drip system system using these reusable fittings. Use with .600" ID x .700" OD Poly.

		Part No	Description	List Price	Bag Qty	Bag Wt
Carlo II		MJBTF	1/2" Poly Tee with Locking Collars	\$4.8308	50	2.90 lbs
	3	MJBEF	1/2" Poly Elbow with Locking Collars	\$3.6867	50	2 lbs
MJBTF	MJBEF	MJBCF	1/2" Poly Coupling with Locking Collars	\$3.3054	50	1.70 lbs
MJBCF	MJB8F	MJB8F	1/2" Poly End Crimper	\$.8698	100	1.10 lbs
IVIJBOF	IVIJBOF	MJENDCAP	1/2" Poly Locking Collar x 3/4" Male Hose Thread Fitting with End Cap	\$6.2153	50	2.60 lbs
MJENDCAP		MJBBPV5	1/2" Poly On/Off Valve w/ Locking Collar	\$9.7000	40	2.80 lbs
MOLITOOTH	MJBBPV5					

Installing Locking Collar Fittings

MXB50





1 Push 1/2" Poly over the built-in O-Ring

2 Tighten collar back over the 1/2" Poly

# Irrigation Timer →

Product Info: This Irrigation Timer connects directly to your outdoor faucet for automatic watering. Timer can be set to water from 1 to 240 minutes at a time, up to 6 times a day.

Part No Description List Price Qty Weight

# MJMLWT-1ZONE 1 Zone Digital Water Timer

WARNING: This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

- Requires two (2) AA batteries (not included)
- For outside use only





# Hose Fittings for Outside Faucet —

**Product Info:** These Faucet Adapters are made with high-quality UV inhibiting resins.

			•		
Part No	Description	List Price	Bag Qty	Bag Wt	
MJBHF	3/4" FHT x 1/2" Poly Locking Collar Hose Fitting	\$5.3676	50	1.80 lbs	<b>2</b>
MOSTII	3/4 THE X 1/2 Poly Ecching Condit Hose Fitting	ψ3.3070	30	1.00 103	MJBHF
MMAVB	3/4" FHT x 3/4" MHT Atmospheric Vacuum Breaker	\$8.3371	25	1.46 lbs	
					MMAVB
MJBFF	3/4" FHT x .195" Barb Outlet Faucet Adapter	\$2.9292	50	1.10 lbs	
					MJBFF

# 1/2" Retrofit Adapters & Fittings ¬

Product Info: Use these Adapters to connect and retrofit Maxijet products to an existing PVC system. Attach 1/2" Poly (.600 ID x .700 OD") to 1/2" & 3/4" PVC Fittings

Part No	Description	List Price	Box Qty	Box Wt	_	_	_
Male Pipe Thread					1/2" MPT	1/2" MPT	1/2" MPT
MJP2P	1/2" MPT x 1/2" Locking Collar Fitting	\$3.6867	50	1.60 lbs			
MJP2PTEE	1/2" MPT x 1/2" Locking Collar Tee Fitting	\$3.5462	50	2.80 lbs		-4-	
MJP2PELB	1/2" MPT x 1/2" Locking Collar Elbow Fitting	\$2.7434	50	1.90 lbs	MJP2P	MJP2PTEE	MJP2PELE
emale Pipe Thread	to Female Pipe Thread						1/2" FPT
MJP2PCOUP	1/2" FPT x 1/2" FPT Coupling	\$2.1680	50	1.54 lbs	1/2"	FPT MJP2PCOUP	
lale Pipe Thread to	Male Hose Thread				3/4" MHT >	> <b>          </b>	
MJP2HTE	1/2" MPT x 3/4" MHT Elbow Fitting	\$2.2080	50	1.80 lbs		Allilli .	
						MJP2HTE	<< 1/2" MPT
Male Hose Thread							
MJP2HTTEE	3/4" MHT x 1/2" Locking Collar Tee Fitting	\$3.5998	50	2.80 lbs			
MJP2HTELB	3/4" MHT x 1/2" Locking Collar Elbow Fitting	\$2.7434	50	2 lbs	3/4" MHT	2HTTEE	3/4" M



Maxijet, Inc. warrants, to the original purchaser only, that all products listed in the "Price List" shall be free of defects in workmanship and materials for a period of one year from the date of purchase. This limited warranty includes a warranty against deterioration from exposure to direct sunlight. Normal discoloration may occur under such circumstances, but will not affect the performance of the product during the warranty period. This limited warranty is void and shall not apply to any product that is misused or not maintained properly, use of chlorine more than 1 part per million, use of other chemicals naturally occuring or injected with PH levels less than 4 or greater than 10, improper filtration, sand blasting, (example: turning water on while jets are laying in sandy soil) nor to any product not manufactured by Maxijet, Inc. even if used in conjunction with Maxijet products. No seller, distributor, agent or other persons has the authority to waive, alter, expand or supplement the express provisions of this limited warranty.

Purchaser's sole and exclusive remedy hereunder shall be to return the defective product within the warranty period, along with satisfactory proof of purchase, (provide physical address, Attn: Warranty Department). Upon confirmation by Maxijet, Inc. that the product is defective and subject to this limited warranty, Maxijet, Inc., as its option, shall repair or replace the product without additional charge to the purchaser.

THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND MAXIJET, INC. SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL MAXIJET, INC. BE LIABLE FOR DAMAGES OF ANY KIND, INCLUDING, WITHOUT LIMITATION, ANY SPECIAL INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES EVEN IF MAXIJET, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you, the purchaser. This limited warranty gives you specific legal rights, and you, the purchaser, may also have other rights which vary from state to state.

Terms & Conditions of Sale

**Terms**: Net 30 Days, on approved credit only. Past due accounts are subject to 1-1/2% per month service charge. Past due accounts are also subject to a "HOLD" and COD status.

Freight: F.O.B. Dundee, Florida.

**Minimum Order Policy**: A \$25.00 Net minimum order is required.

**Prices**: Prices are effective on the published date of the price sheet. **Prices are Subject to change without Notice**. Changes may occur without prior notice.

**Cancellation of Order**: Orders may be canceled for stock items. Products built to your order are subject to the assembly and the disassembly charge if the order is canceled.


**Returns**: **Merchandise** in new and non-used condition may be returned on a freight prepaid basis for credit, subject to inspection and acceptance at our factory in Dundee, Florida. **All returns** are subject to a **20**% restocking charge that will be deducted from the credit. **Returned goods** must be identified by invoice numbers covering original sale and a Return Merchandise Authorization Number (**RMA#**), which will be issued by Maxijet's Accounts Receivables Personnel prior to return of the goods. **Claims** for discrepancies in shipping will not be acknowledged after 5 days after the date of delivery.


Maxijet makes no other warranties, expressed or implied. No Representative, Agent, Distributor, or other person has the authority to waive, alter, or add to the printed provisions of this warranty, to make any representation or warranty not contained herein, or to extend this warranty to anyone other than the purchaser and/or original owner.

Possession of this sheet, a Price List, or a Maxijet, Inc. Catalog does not constitute an offer to sell nor a right to purchase. Maxijet, Inc. sells its products through qualified Dealers and Distributors. All sales are made on a cash basis unless other terms have been approved by Maxijet's Credit Department. All orders are subject to acceptance by Maxijet, Inc.


# Samples / Displays / Catalogs →

# LANDSCAPE SAMPLES











Catalog MJ2023-GCATALOG



**Pricelist**MJ2023-GPRICELIST





Maxijet Binder M-GBINDER



Contractor Brochure M-G3FOLD



Counter Mat Spec Sheet M-COUNTERMAT





# **NOTES**

# JET SPECIFICATIONS

	Diam	Sp	Spra	Size & Color	Black .03"	Orange .033″	Blue .04"	Violet .044"	Green .05"	Yellow .055"	Red .06"	White .07"	
MADE USA	Diameter & Radius figures are in feet	Spray Angle	Spray Patterns	PSI	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	15 <b>20</b> 25 30	
NDE	adius	le 1	rns Gallons	Per Hour <b>GPH</b>	6.9 6.3 6.9	6.7 <b>7.7</b> 8.6 9.4	8.9 <b>10.5</b> 11.8 12.8	11.5 <b>13.5</b> 15.0 16.5	14.0 <b>16.0</b> 18.0	17.1 <b>19.8</b> 22.2 24.4	20.2 <b>23.5</b> 26.5 29.1	32.1 <b>37.1</b> 41.8 46.1	
7	Max-14 M Fill-In D 360° × 14	+15°	*	Diam.	7.5 <b>8.5</b> 9.0 9.5	9.5 <b>10.5</b> 11.5	9.5 11.0 12.0	12.5 <b>13.5</b> 13.5	13.0 <b>14.0</b> 15.0	13.5 <b>14.0</b> 15.0	15.0 <b>17.0</b> 18.0 21.0	21.0 <b>21.5</b> 22.0 24.5	
17	Max-12 HDR Down Fill-In Fi 360° x 12	89-	Downspray	+	5.0 <b>5.0</b> 6.0 6.5	5.5 <b>6.5</b> 7.0 7.5	6.0 <b>6.5</b> 7.0 7.5	6.5 <b>7.0</b> 7.5 7.5					
17	Max-12 Fill-in 300° F	+15°	*	+	7.5 <b>9.0</b> 9.5 10.0	9.5 <b>10.0</b> 10.5	10.5 <b>11.5</b> 12.5 13.0	11.5 13.5 16.5 17.0	13.5 <b>15.5</b> 16.5	14.5 <b>15.5</b> 16.5	16.0 <b>18.0</b> 21.0 22.0	18.0 <b>21.0</b> 22.0 23.0	
7	Max-10 Fill-In 240° 240° x 10	+15°	*	Radius	4.0 <b>4.5</b> 5.0 5.5	4.5 <b>5.0</b> 5.5 5.5	5.5 <b>6.0</b> 6.5 7.0	5.5 <b>6.0</b> 6.5 7.0	6.0 <b>6.5</b> 7.0 7.5				
7	Max-14 Stream 360°×14	+18°	*	-	9.5 <b>10.5</b> 12.0 12.5	11.5 <b>12.5</b> 13.5	14.5 16.0 17.0 18.0	17.0 <b>18.0</b> 19.0 19.5	17.0 <b>19.0</b> 20.0 21.0	19.0 <b>21.0</b> 22.5 24.0	20.5 <b>21.5</b> 24.5 28.5	23.5 <b>28.0</b> 30.5 32.0	
7	Max-14 Channel 360° x 14	+18°	**	Diam.	9.0 <b>10.0</b> 11.0	11.5 <b>12.0</b> 12.5 13.0	14.0 <b>15.0</b> 16.5 17.5	16.5 <b>18.0</b> 18.5 19.0	17.0 <b>18.5</b> 19.0 19.5	19.5 <b>21.0</b> 22.0 23.0	21.5 22.0 22.0 22.5	23.5 25.0 27.5 28.5	
7	Max-One Fan I	°O	W.	Diam.	5.0 <b>5.5</b> 6.0 6.5	5.0 <b>5.5</b> 6.0 6.5	5.5 <b>5.6</b> 6.0	5.5 <b>6.0</b> 6.5 6.5	5.5 <b>6.0</b> 6.5 7.0	5.5 <b>6.0</b> 7.0 7.5	6.0 6.5 7.0 7.5	7.5 <b>8.0</b> 8.5 9.0	
7	Max-Cone Down Fan I	-35°	Downspray	Diam.	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.5</b> 2.5 2.5	2.5 2.5 3.0 3.0	
5%	Max-Pot Down Fill-in C	-16º/-32º/-64º	Downspray	Diam.	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3	15 - 3 6 - 3 15 - 3 15 - 3	1.5 - 3 1.5 - 3 1.5 - 3				
7	Max-Cone Down Stream 360°×14	-45°	Downspray	Diam.	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.0</b> 2.5 2.5	2.0 <b>2.5</b> 2.5 3.0	2.5 2.5 2.5 3.0	2.5 <b>2.5</b> 2.5 3.0	2.5 <b>2.5</b> 3.0 3.0	2.5 <b>3.0</b> 3.0 3.5	
	Max-Double Down Stream 360°	-24° -45°	Downspray	Diam.	3-4 <b>3-4</b> 3-4	3 - 4 3 - 4 3 - 4	3 - 4 3 - 4 3 - 4	3-4 3-4 3-4	8 <b>8</b> 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3 - 4 3 - 4 3 - 4	8 <b>w</b> 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 - 4.5 3 - 4.5 3 - 4.5 3 - 5	
7	Max-360 Blueberry 360°	-13°	Downspray	Diam.	3.5 <b>4.0</b> 4.0 4.5	4.5 <b>4.5</b> 5.0 5.5	4.5 <b>5.0</b> 5.0	5.0 <b>7.3</b> 6.0	5.5 <b>5.5</b> 6.0 6.0				
E.	Max-180 Blueberry 180°	-13°	Downspray	Radius	1.5 <b>1.5</b> 1.5 2.0	2.0 <b>2.0</b> 2.5 2.5	3.0 <b>3.5</b> 3.5	3.0 <b>3.5</b> 3.5	3.0 <b>3.0</b> 3.0				]
7	Max-Center Strip 20°×2	+12°	X	Diam.	1×8 <b>1×11</b> 1×12.5 1.5×13.5	1×9.5 <b>1.5×12</b> 1.5×13.5 1.5×14.5	1 x 11 1 x 13 1.5 x 14.5 1.5 x 14.5						
7	Max-V Stream 2 Streams	+15°	1	Diam.		12.5 <b>14.5</b> 16.5	13.5 <b>15.5</b> 17.5	15.0 <b>17.5</b> 18.5	16.0 <b>19.5</b> 22.5 23.5	20.0 20.0 22.5 24.0	25.0 29.5 32.5 35.0		
3	Small Spinner 360° × 8	°0		Diam.				7.5 <b>8.0</b> 8.5 9.5					
8	Large Spinner 360°×2	°0	6	Diam.	13.0 <b>13.5</b> 13.5 14.0	13.0 <b>14.0</b> 14.5 15.5	15.0 15.5 16.5 17.5	15.5 <b>16.5</b> 17.0	16.5 17.0 17.5 18.5	17.0 18.0 19.0 20.0	17.0 18.5 19.5 20.5		
	Center Strip 20°×2	°0	Y	Radius			2.5 x 3.5 2.5 x 4 2.5 x 4.5 2.5 x 5		2 x 4.5 2 x 5 2.5 x 5.5 2.5 x 5.5		2×4.5 2×5 2×5.5 2×5.5		
	Quarter Circle 90°	°o		Radius			5.0 6.0 6.5		6.0 <b>6.0</b> 6.5 7.0		6.0 <b>6.5</b> 7.0 7.5		
	Half Circle 180°	°0	4	Radius			5.5 6.0		4.5 <b>5.5</b> 6.0		5.0 6.0 6.5		
	Full Circle 340°	°0	41	Diam.			5.5 <b>6.0</b> 6.5 6.5		5.5 <b>6.0</b> 6.5 6.5		6.5 <b>7.0</b> 7.5 8.0		

Pressure Recommendations: All Maxijets Low-Volume Irrigation Products are suggested to be used at pressure rates of 20-30 PSI.
Filtration Recommendations: Orifice sizes of .03" to .044" use a filtration mesh size from 80 to 120 & for Orifice sizes of .05" to .07" use a filtration mesh size from 50 to 80.