



IN THE USA







2025 PRODUCT PRICE LIST



Contractor Pricing



SPECIAL CONTRACTOR PACKAGING 25-COUNT PACKS AND BUNDLES



25 Count bags of Winged 1 Pc Jets

Available Gallonages

Blue 10.5 Green 16.0 Red 23.5

Center Strip

90° 180°

180° 340°

Green Spinners 360° x 2 360° x 8



XMAG362X XMAG368X

Vinyl Tubing Adapters

XMJBBXB9 XMJBBXB6 Large Small

Bundles of 25 Count Stakes Available in Barb Stakes & Clip Stakes





XMSBCLP Black Clip Stake

Bundles of 25 Count Stake Assemblies

Clip Stake Assemblies

XBDL30B

- Green Clip Stake
- 30" Green Vinyl
- Barb x Barb Adapter





XBME30B

- Orange Clip Stake
- 30" Blue Vinyl
- Barb x Barb Adapter

XBSK30B

- Black Clip Stake
- 30" Black Vinyl
- · Barb x Barb Adapter





XBAL30WB

- Green Barb Stake
- 30" Green Vinyl
- Barb x Barb Mister Valve
- · Barb x Barb Adapter

XBBK24B

- Black Barb Stake
- 24" Black Vinyl
- Barb x Barb Adapter



When ordering 25 Count Packaging, add an 'X' to the Beginning of the part number(s).

EXAMPLE:

Quantity of 4 - XMSBCLP Bundles of 25 Black Clip Stakes = 100 Total Stakes

Contractor Packaging is available for a variety of items: Stakes

Stake Assemblies

Winged One Piece Landscape Spray Jets, Max One Piece Jets, Top Hat Jets

Tubing Adapters





Special Bulk Contractor Packaging	
Table of Contents	
One-Piece Max-One Spray Jets	1 ——
One-Piece Max-One Spray Jets con't / Swap Tops®	2 ——
Winged One-Piece Spray Jets / Micro Sprinkler Spinners / Ag Single Piece Spray Jets / Cone Sprayer	3 ——
Bases / Deflectors	4
Anatomy of a Stake Assembly / Stakes	5 ——
Extension Risers / Support / End / Nail Stakes / Vertical Hang Assembly® / Vinyl Collars	6
.295" OD Standard Vinyl Tubing / .240" OD Small Vinyl Tubing / .187" OD PE Tubing	7
Vinyl Tubing & Extension Adapters / Adapters: Specialty; Latex 5/16" Tubing; PE Tubing Flow Restrictor Barbed Adapter	8 ——
Maxijet On-Off 1/4" Adjust Water Flow" / Jet Cleaning Tools / Maxijet Repair Kit / Punch Tools	9 ——
Goof Plugs / Barb Cap / Flush Valves / Replacement Washers & Plungers Tree Budding Accessories / Nursery Clips & Rod Stakes	10 —
Nursery Pot Clips & Pot Stakes	11 ——
Non PC Drippers / PC Drippers / Adjustable Drippers / Adjustable Drippers Stakes Microspray Kit & Timers / 1/2" Poly Tubing & Fittings	12 ———
Hose Fittings for Outside Faucet / 1/2" Retrofit Adapters & Fittings Retrofit Sprinkler Adapters / Converters / Retrofit Saddles for PVC	13 ———
Top-Hat Jets & Retrofit Pop-up Adapters® for Rainbird®, Hunter®, Toro®, & K-Rain®	14 ———
Limited Warranty / Terms & Conditions	15 ———
Sample Packs / Counter Displays / Literature	16 ——
Spec Chart	17 ——

TOLL FREE TEL: (800) 881-6294

TEL: (863) 439-3667

E-MAIL: sales@maxijet.com

TOLL FREE FAX: (800) 441-6294

FAX: (863) 439-6608

ONLINE: www.maxijet.com




Price List


Selecting Orifice Size

Maxijet orifice sizes are distinguished by color. When ordering jets and bases, it is important to understand the distinction between colors and how those colors are represented within product part numbers. Here is a quick reference key followed by example part numbers:

We have updated most of our Jet Threads to our new Lock-tight Threads.



Color	Orifice Size	Letter Designation Within Part Numbers		
Green	.05"	G	[MA G 36E1]	
Yellow	.055"	Υ	[MAY36E1]	
Red	.06"	R	[MAR36E1]	
White	.07"	W	[MAW36E1]	









SHA.	\$.7035	100 / 500	.23lbs / 1.14lbs
	MAB36C1 MAO36C1 *Note the higher list		1 MAY36C1 MAR36C1 MAW36C1
	LOPA	+18°	





MAB36B1 MAO36B1 MAU36B1 MAV36B1 MAG36B1

MAO36R1 MAV36R1 MAG36R1 MAY36R1 MAR36R1 MAW36R1

\$.7035

^kNote the higher list price Downspray 4' up to 5.5' Dia.

100 / 500

For these Max-Double Down Stream orifice sizes, the higher List PRICE is due

to the extra cost in manufacturing based on lower volume sales of these items.

.22lbs / 1.11lbs

Downspray

10' up to 25' Dia.

Price List



Selecting Orifice Size

We have updated most of our Jet Threads to our new Lock-tight Threads.



Maxijet orifice sizes are distinguished by color.
When ordering jets and bases, it is important to
understand the distinction between colors and how
those colors are represented within product part
numbers. Here is a quick reference key followed by
example part numbers:

Color	Orifice Size	Letter Designation Within Part Numbers		
Black	.03"	В	[MAB36E1]	
Orange	.033"	0	[MAO36E1]	
Blue	.04"	U	[MAU36E1]	
Violet	.044"	٧	[MAV36E1]	

Color	Size	Within Part Numbers		
Green	.05"	G	[MA G 36E1]	
Yellow	.055"	Υ	[MAY36E1]	
Red	.06"	R	[MAR36E1]	
White	.07"	W	[MAW36E1]	

One Piece Max-One Spray Jets

*The higher list price on Max's is due to the extra cost in manufacturing based on lower volume sales.


Made of high-quality, UV-inhibiting resins. Not all jets are available with all orifice sizes. Please review part numbers for availability. See page 15 for special contractor pricing.



Max-One Swap Tops

(Patent # 5,335,859)

Made of high-quality, UV-inhibiting resins. Swap Tops cannot be used with all MAX Jets. Please review all information for compatibility.



 List Price
 Bag Qty
 Bag Wt

 Swap Tops (All Colors/Patterns)
 \$.7606
 100 / 1000
 .25 lbs / 2.50 lbs

 MAB6E6P MAO8E5P MAU6E9P MAG6E8P MAY4E9P

Swap Tops Can Be Used With These Jets








Winged One-Piece Landscape Spray Jets


Made of high-quality, UV-inhibiting resins. Winged Jets are not available in all orifice sizes. Please review part numbers for availablility.






Landscape Micro Sprinkler Spinners

Made of high-quality, UV-inhibiting resins. Spinners are not available in all orifice sizes. Please review part numbers for availability.



Ag Single Piece Spray Jets


Made of high-quality, UV-inhibiting resins. One-Piece Jets are not available in all orifice sizes. Please review part numbers for availablility.



3.5' up to 8' Radius

Cone Sprayer

Sprays a fine cone mist when installed overhead, size of wetting area can be adjusted by changing the sprayer height. Ideal for greenhouses.








Bases

Bases are made of high-quality, UV-inhibiting resins and are used with Caps and Deflectors.



Deflectors

	All Defle	ectors can be purchased sepa	arately or assembled v	with a base. Flow Rate	is determined by base.
	List Price Bag Qty	Bag Wt	List Price	Bag Qty	Bag Wt
Spray Pattern Spray Angle					
+18°	30° End-Strip (Medium-Angle S \$.8381 100 / 500 MAB030D (deflector only)	Spray) .23 lbs / 1.15 lbs >>	\$1.3607 ANC030 ANO030 AN	Base 100 / 500 U030 <i>ANV030</i> ANG030 <i>A</i>	.36 lbs / 1.80 lbs NY030 ANR030 ANW030
+120	40° Center-Strip (20° x 2 Mediu \$.4254 100 / 500 MAB040D (deflector only)	im-Angle Spray) .23 lbs / 1.15 lbs	Assembled With E \$.9480 ANC040 ANO040 AN	100 / 500	.35 lbs / 1.75 lbs NY040 ANR040 ANW040
+20°	40° Opposing-Stream (20° x 2 l \$.4254 100 / 500 MAB040DFP (deflector only)	Medium-Angle Spray) .23 lbs / 1.15 lbs	Assembled With E \$.9480 ANC040FP ANO040F ANR040FP ANW040I	100 / 500 FP ANU040FP ANV040FP	.36 lbs / 1.80 lbs ANG040FP ANY040FP
+180	90° Quarter Circle Fan (Medium \$.8381 100 / 500 MAB090D (deflector only)	n-Angle Spray) .23 lbs / 1.15 lbs	Assembled With E \$1.3607 ANC090 ANO090 AN	100 / 500 U090 <i>ANV090</i> ANG090 <i>A</i>	.37 lbs / 1.85 lbs
+64°	90° High Angle Fan (High-Angl	le Spray) .23 lbs / 1.15 lbs	Assembled With E \$1.3607 ANCA90 ANOA90 AN	3ase 100 / 500 JUA90 <i>ANVA90</i> ANGA90 A	.36 lbs / 1.80 lbs
+18°	165° Half Circle Fan (165° Medi \$.8381 100 / 500 MAB180D (deflector only)	ium-Angle Spray) .23 lbs / 1.15 lbs	Assembled With E \$1.3607 ANC180 ANO180 AN	3ase 100 / 500 U180 <i>ANV180</i> ANG180 <i>A</i>	.36 lbs / 1.80 lbs NY180 ANR180 ANW180
+18°	180° x 8 Stream (Medium-Angle \$.8381 100 / 500 MAB188D (deflector only)	e Spray) .23 lbs / 1.15 lbs	Assembled With E \$1.3607 ANC188 ANO188 AN	100 / 500	.34 lbs / 1.70 lbs NY188 ANR188 ANW188
+18°	280° Fan (Medium-Angle Spray \$.8381 100 / 500 MAB280D (deflector only)	/) .23 lbs / 1.15 lbs >>	Assembled With E \$1.3607 ANC280 ANO280 AN	3ase 100 / 500 U280 <i>ANV280</i> ANG280 <i>A</i>	.33 lbs / 1.65 lbs NY280 ANR280 ANW280
+18°	300° x 12 Stream (Medium-Ang \$.8381 100 / 500 MAB312D (deflector only)	gle Spray) .23 lbs / 1.15 lbs >>	Assembled With E \$1.3607 ANC312 ANO312 AN	100 / 500 U312 <i>ANV312</i> ANG312 <i>A</i>	.33 lbs / 1.60 lbs NY312 ANR312 ANW312
+18°	360° x 14 Stream (Medium-Ang \$.4254 100 / 500 MAB36ED (deflector only)	gle Spray) .23 lbs / 1.15 lbs >>	Assembled With E \$.9480 ANC36E ANO36E AN	100 / 500	.33 lbs / 1.70 lbs ANY36E ANR36E ANW36E
+5°	360° x 14 Stream <i>Green</i> (Vertice \$.8381 100 MAG36BD (deflector only)	al Hang, Flat Spray)	Assembled With E \$1.3607 ANC36N ANO36N AN	100 / 500	.34 lbs / 1.70 lbs ANY36N ANR36N ANW36N
○	360° x 14 Fill-In <i>Blue</i> (Vertical IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Hang, Flat Spray)	Assembled With E \$1.3607 ANC36V ANO36V AN	100 / 500	.34 lbs / 1.70 lbs ANY36V ANR36V ANW36V



Price List

color for every application.

Box Wt

28 lbs

28 lbs

28 lbs

28 lbs

28 lbs

23 lbs

23 lbs

30 lbs

30 lbs

11.20 lbs

11.20 lbs

Anatomy of a Maxijet Stake Assembly

Maxijet Stake Assemblies can be configured using a number of different components and, with other options, like color and flow rate, a Stake Assembly can be built to meet your irrigation needs.





Use with 1/2", 3/4" or 1" Poly

Small **BxB** Adapter


Flow Restrictor

Use with 3/4" or 1" Poly




BxB Adapter

Barbed Adapter or a Flow Restrictor is used to connect Stake Assemblies to a Poly Tubing main line. Use the Flow Restrictor at end of Maxijet Vinyl with a maximum length of 36".



Stakes

These Stakes are made with high-quality UV-inhibiting resins. Use with our Standard Vinyl Tubing (.145" ID x .295" OD).




Stake Assemblies - Please call to inquire about options and pricing. Stake Assemblies can be customized to meet specific needs.





Extension Risers can be used to extend the height of a stake assembly or inserted directly into poly or PVC.

Extension Risers



Part No	Description	List Price	Box Qty	Box Wt
	ers (No Threads)	¢ 4740	400	00 11
MNB04	4" Rigid Extension	\$.1746	100	.63 lbs
MNB06	6" Rigid Extension	\$.2213	100	.94 lbs
MNB08	8" Rigid Extension	\$.2901	100	1.25 lbs
MNB12	12" Rigid Extension	\$.4437	100	1.82 lbs
MNB18	18" Rigid Extension	\$.6719	100	2.80 lbs
Extension Ris	er Assemblies			
BXC08T	8" Rigid Extension with 10-32 Lock-Tight Threads	\$.8777	50	.70 lbs
BXC12T	12" Rigid Extension with 10-32 Lock-Tight Threads	\$1.0313	50	.99 lbs
BXC08TX	8" Rigid Extension / On/Off Valve / 10-32 Lock-Tight Threads	\$2.3242	50	1 lbs
BXC12TX	12" Rigid Extension / On/Off Valve / 10-32 Lock-Tight Threads	\$2.4778	50	1.5 lbs

Support and End Stakes help hold Poly and Vinyl Tubing in place while Nail Stakes are ideal for securing ground cover.

Support / End / Nail Stakes



Part No	Description	List Price	Box Qty	Box Wt
Support Stakes				
MSB206U	Support Stake for 1/2" Poly Tubing - 1/2" x 6"	\$1.6902	600	23 lbs
MSB404U	Black 1/4" x 5" Support Stake for Maxijet Standard Vinyl Tubin	g \$.4551	2000	27 lbs
MSR404U	Red 1/4" x 5" Support Stake for Maxijet Standard Vinyl Tubing	\$.4551	2000	27 lbs
Nail Stake				
MSBNAL13	13" Nail Stake (patent # 378,890)	\$4.5781	1 EA	.1 lbs

These assemblies are used primarily in nurseries and greenhouses. They hang above the plants and spray from the top down. Description

Vertical Hang Assembly®

List Price Box Qty Box Wt



Vertical Hang Weight	s			
MWO35	.05 lbs 4" Orange Weight375" ID x .650" OD	\$.8607	450	21 lbs
MWB35	.05 lbs 4" Black Weight375" ID x .650" OD	\$.8607	450	21 lbs
MWU2	.1 lbs 2" Blue Weight450" ID x 1.050" OD	\$.9392	200	20 lbs

Vertical Hang Deflector Jets see on page 4.

Part No

Vertical Hang Assemblies - Please call to inquire about options and pricing. They can be customized to meet specific needs.

Vinyl Collars are only used with clip stakes and help securely hold jets in the Maxijet Standard Vinyl Tubing.

Vinvl Collars





vitir onp startes ar	id field scoulery field jets in the waxijet olandard virryr rubing.		,	riiryi Gonais
Part No	Description	List Price	Bag Qty	Bag Wt
Vinyl Collars				
MOB	Orange Vinyl Collar	\$.1973	100 / 1000	.17 lbs / 1.62 lbs
MEB	Black Vinyl Collar	\$.1973	100 / 1000	.17 lbs / 1.62 lbs
Tab Collars				
MOBEXTAE	3 Orange Vinyl Collar with Tab (tab keeps jets from turning)	\$.1973	100 / 1000	.13 lbs / 1.30 lbs
MEBEXTAB	Black Vinyl Collar with Tab (tab keeps jets from turning)	\$.1973	100 / 1000	.13 lbs / 1.30 lbs
Clip Stake Ste	m			
MJBBSC9	Clip Stake Stem - Barb x Stem	\$.2817	100 / 500	.4 lbs / 2 lbs
		<u> </u>		

Part No

Description

List Price

Bundle Qty

Wt

145" I.D. x . 295" O.D. Standard Vinyl

	.295" OD Stand	dard Vinyl Tubing (.145" ID x .295" OD)			
	MVB18	18" Cut Black Standard Vinyl Bundle	\$.5273	200	10 lbs
	MVB24	24" Cut Black Standard Vinyl Bundle	\$.7029	200	14 lbs
	MVB30	30" Cut Black Standard Vinyl Bundle	\$.8787	200	17 lbs
¥	MVB36	36" Cut Black Standard Vinyl Bundle	\$1.0545	100	9 lbs
Black	MVB48	48" Cut Black Standard Vinyl Bundle	\$1.4060	100	13 lbs
m	MVB100B	100' Box — Black Standard Vinyl	\$43.3964		4 lbs
	MVB500	500' Reel — Black Standard Vinyl	\$193.0733		17 lbs
	MVB500B	500' Box — Black Standard Vinyl	\$187.7134		17 lbs
	MVB500BKT	500' Bucket — Black Standard Vinyl	\$226.6264		19 lbs
	MVU18	18" Cut Blue Standard Vinyl Bundle	\$.5636	200	10 lbs
	MVU24	24" Cut Blue Standard Vinyl Bundle	\$.7515	200	14 lbs
	MVU30	30" Cut Blue Standard Vinyl Bundle	\$.9394	200	17 lbs
ø.	MVU36	36" Cut Blue Standard Vinyl Bundle	\$1.1273	100	9 lbs
Blue	MVU48	48" Cut Blue Standard Vinyl Bundle	\$1.5031	100	13 lbs
	MVU100B	100' Box — Blue Standard Vinyl	\$43.7395		4 lbs
	MVU500	500' Reel — Blue Standard Vinyl	\$208.0983		17 lbs
	MVU500B	500' Box — Blue Standard Vinyl	\$202.3699		17 lbs
	MVU500BKT	500' Bucket — Blue Standard Vinyl	\$241.2872		19 lbs
	MVL100B	100' Box — Green Standard Vinyl	\$46.3623		4 lbs
Green	MVL500	500' Reel — Green Standard Vinyl	\$221.4877		17 lbs
Gre	MVL500B	500' Box — Green Standard Vinyl	\$215.6525		17 lbs
	MVL500BKT	500' Bucket — Green Standard Vinyl	\$254.5697		19 lbs
	MVT100B	100' Box — Tan Standard Vinyl	\$52.4538		4 lbs
2	MVT500	500' Reel — Tan Standard Vinyl	\$231.8364		17 lbs
Tan	MVT500B	500' Box — Tan Standard Vinyl	\$225.7201		17 lbs
	MVT500BKT	500' Bucket — Tan Standard Vinyl	\$264.6376		19 lbs
	MVW100B	100' Box — White Standard Vinyl	\$52.4538		4 lbs
ite	MVW500	500' Reel — White Standard Vinyl	\$231.8364		17 lbs
White	MVW500B	500' Box — White Standard Vinyl	\$225.7201		17 lbs
	MVW500BKT	500' Bucket — White Standard Vinyl	\$264.6376		19 lbs

flexible & durable in the irrigation industry.

Our Vinyl Tubing is the most

Maxijet Standard Vinyl .145" ID x .295" OD

> Available Colors: Black, Blue, Green, Tan, White



200 Piece bundles of 24" and 30" Vinyl



100 Piece bundles of 36", 48", and 60" Vinyl



Maxile In tumory tumory

500 Ft. Bucket

Standard Vinyl Tubing to be used with our Clip Stakes, Barb Stakes, Elbow Stakes, Nursery Rod Stakes, Dual Stakes, Cross Stakes or Drippers.

Maxijet Small Vinyl Tubing

.140" ID x .240 OD

Available Colors: Black, Blue

PE Tubing

.187" OD x .125" ID

Available Lengths: 1,000' & 3,000' Reels



	-	• .			
MVB1000-140X240		1000' Reel -	- Black .240" OD Small Vinyl	\$300.0552	21 lbs
MVU1000-140X240		1000' Reel -	- Blue .240" OD Small Vinyl	\$317.8236	21 lbs

Small Vinyl Tubing to be used with our Threaded Pot Stakes, Elbow Stakes, Nursery Rod Stakes, Dual Stakes, or Drippers.

PE Tubing (.187" OD x .125" ID)

i L Tubing (.107	OD X.120 1D)		
MXB1000PE1/8"	1000' Reel .187" OD x .125" ID PE Tubing	\$147.3434	7 lbs
MXB3000PE1/8"	3000' Reel .187" OD x .125" ID PE Tubing	\$433.8599	21 lbs

PE Tubing to be used with our Groove Pot Stake or 1/8" x 1/8' Barb.





Customize any system with these adapters.
Threaded adapters may also be used with the Extension Risers (pg 6).

Vinyl Tubing & Extension Adapters

	Part No	Description	List Price	Bag Qty	Bag Wt
	MJBBXB9	Large .195" Barb x .195" Barb	\$.2746	100 / 500	.27 lbs / 1.34 lbs
MJBBXB9 MJBBXB6	MJBBXB6	Small .180" Barb x .180" Barb	\$.2746	100 / 500	.27 lbs / 1.30 lbs
A B	MJBBXT9	Large .195" Barb x 10-32 Triple-Lead Threads	\$.2746	100 / 1000	.12 lbs / 1.20 lbs
мјввхт9 мјввхт6	MJBBXT6	Extra Small .160" Barb x 10-32 NFT Threads	\$.4267	100 / 1000	.12 lbs / 1.20 lbs
	MJBBLB7	Elbow — .180" Barb x .180" Barb	\$.4437	100 / 1000	.17 lbs / 1.65 lbs
MJBBLB7 MJBBTB7	MJBBTB7	Tee — .180" Barb x .180" Barb	\$.4437	100 / 1000	.24 lbs / 2.37 lbs
1	MJBBCR8	Cross — .180" Barb x 4	\$.8482	100 / 1000	.29 lbs / 2.90 lbs
MJBBCR8 MJBTXT	MJBTXT	10-32 Triple-Lead Threads x 10-32 Lock-Tight Threads	\$.2746	100 / 1000	.17 lbs / 1.70 lbs

Product Info: Convert Dan®, Eintel® and Rondo® Stakes to Maxijet with these adapters.

Specialty Adapters





Part No	Description	List Price	Bag Qty	Bag Wt
MJBCONB9	Adapts Rondo® Jets for use with Maxijet Tubing (Conical x Large Barb)	\$.4506	100	.27 lbs
MJBBXB96	.195" Barb X .180" Barb (Large Barb x Small Barb)	\$.5494	100	.20 lbs

Latex 5/16" Tubing Adapters

		Part No	Description	List Price	Bag Qty	Bag Wt
			.195" x 5/16" Barb Adapter	\$1.1053	100	.290 lbs
MJBBXB9516		MJBB516XS	5/16" Barb Adapter X Stem	\$2.2107	100	.355 lbs
	MJ.5COMP	MJBBXS9	Large Barb .195 x Stem Adapter	\$1.1053	100	.249 lbs
MJBB516XS		MJBB316XS	3/16" Barb Adapter X Stem	\$1.1053	100	.233 lbs
MJBBXS9	MLBLRG516	MJ.5COMP	1/2" Compression Collar	\$1.1053	100	.370 lbs
-		MLBLRG516	Extra Large Goof Plug 5/16"	\$1.1053	100	.260 lbs
MJBB516XS MJBBXS9 MJBB316XS		MJ.5COMP	1/2" Compression Collar	\$1.1053	100	.370 lbs

These adapters are used to connect Standard and Pot Stake Vinyl Tubing to poly tubing which has been punched with larger or smaller holes, or to adapt Maxijet Vinyl to the tubing of other manufacturers.

PE Tubing Adapters





MJ18X18	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing	\$.3943	100	.15 lbs
MJ18X14	1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V	inyl \$.3943	100	.15 lbs



NEW Flow Restrictor Barbed Adapter

Part No	Description	List Price	Bag Qty	Bag Wt
MJBBXB6-B	Blue Flow Restrictor .180" Barb x .180" Barb	\$.5579	100/500	.27 lbs / 1.30 lbs
lise at end of l	Maxilet Vinyl Maximum Length of 36"			

Maxijet On-Off 1/4" Valves "Adjust Water Flow"

On-Off Valves allow the water flow from individual jets to be adjusted up and down or turned off completely.

Part No	Description	List Price	Bag Qty	Bag Wt
MJBSBV	.180" Barb Inlet x Stem (for inserting jets) On-Off 1/4" Valve	\$1.2115	100	.54 lbs
MJBBMV9	.180" Barb Inlet x .180" Barb Outlet On-Off 1/4" Valve	\$1.2115	100	.54 lbs
MJBTMV	10-32 Thread Inlet x 10-32 Thread Outlet On-Off 1/4" Valve	\$1.2115	100	.54 lbs
MJBBTV9	10-32 Thread Inlet x .180" Barb Outlet On-Off 1/4" Valve	\$1.2115	100	.54 lbs
MJBSTV	10-32 Thread x Stem (for applying a jet) On-Off 1/4" Valve	\$1.7607	100	.54 lbs
MABADJ	10-32 Thread x Base (for applying a cap) On-Off 1/4" Valve	\$2.2751	100	.54 lbs
MAG362XADJ	360° x 2 Large Circle Vari Flow Spinner	\$4.5572	100	.54 lbs



Jet Cleaning Tools

	9			
Part No	Description	List Price	Bag Qty	Bag Wt
AKY3CLTK	Cleaning Tool for Black Orifices and Larger	\$1.9017	100	.35 lbs
Bulk Jar - 50 Count				
XJ-AKY3CLTK	Cleaning Tool for Black Orifices and Larger - Jar of 50	\$108.8185	50	.25 lbs



Maxijet Repair Kit

Part No	Description	List Price	Qty	Bag Wt
MJREPAIRKIT	Repair Kit includes 31 highly used Micro Sprays and	\$244.3988	1	1.87 lbs
	Accessories totaling 163 pieces			
MJTACKLEBOX	Tackle Box - Empty with No Parts included	\$60.0855	1	.96 lbs
	4 x 24 Adjustable Compartments w/ 2 Pro Latches			





Punch Tools

Maxijet Tools assist with everything from installation to assembly and cleaning.

IVIAA	iljet 100is assist v	with everything from installation to assembly and dearling.				
Pa	art No	Description	List Price	Bag Qty	Bag Wt	
M	JTOOLGAA	Large Metal Tip All-In-One Tool (for .195" Barbs) w/ Jet Cleaning Tool	\$21.6648	20	1.90 lbs	
Al	KULGAA	Large Ag Punch Tool with Metal Tip (for .195" Barbs)	\$18.9321	20	1.91 lbs	
M	JTOOLPRO	Small Metal Tip All-In-One Tool (for .125"180" Barbs) w/ Jet Cleaning Tool	\$21.6648	20	1.90 lbs	
Al	KOSMAPROS	Small Ag Punch Tool with Metal Tip and Hex Wrench (for .125"180" Barbs)	\$18.9321	20	1.85 lbs	
M	JTOOL	1/2" Poly Plastic All-In-One Tool (for .125"180" Barbs) w/ Jet Cleaner	\$15.1428	20	1.86 lbs	
M	KOSPT	Small Orange Plastic Tip Punch Tool (for .125"180" Barbs)	\$5.6908	20	.46 lbs	MJ ⁻
M	KUDEF	Deflector Tool used to assemble / disassemble Deflectors and Bases	\$11.9452	20	1.19 lbs	•



MKZLRGT	Large Metal Replacement Punch Tip for AKULGAA / MJTOOLGAA	\$9.8463	200	.25 lbs
MKZSMLT	Small Metal Replacement Punch Tip for AKOSMAPROS / MJTOOLPRO	\$9.8463	200	.22 lbs



MKZLRGT MKZSMLT





Goof Plugs / Barb Cap

Goof plugs are used to plug holes made by mistake or left over after moving a jet or dripper to a new location. They can also be used to end a line of Vinyl Tubing.



MJBARBCAP

Part No	Description	List Price	Bag Qty	Bag Wt
MLBLRG	.200" Hex Top Large Goof Plug to plug .180" and .195" barb holes	\$.1900	500	.92 lbs
MLBLRGWG	.200" Winged Large Goof Plug to plug .190" and .195" barb holes	\$.1900	500	1.04 lbs
MLBSML	.185" Small Goof Plug used to plug .125" up to .180" barb holes	\$.1973	500	1.20 lbs
MLBLRSM	.155" x .226" Double-Sided Goof Plug to plug .125" up to .195" barb holes	\$.1900	100	.25 lbs
MABBGP	10-32 Threaded Goof plug used to plug Stakes, Shrub Adapters and PVC	\$.8698	100	.09 lbs
MJBARBCAP	Barb Cap to push onto .180" Barbs to shut off flow	\$.2536	100	.10 lbs





3/4" Hose Thread Body is **Red**. 3/4" FHT AFR2HSU

Flush Valves with 3/4" Pipe Thread or 3/4" Hose Thread

These Flush Valves are made of high-quality UV inhibiting resins and are available with with female hose or pipe threads.

Part No	Description	List Price	Bag Qty	Bag Wt
AFO2PSU	2 PSI 3/4" FPT Auto Flush Valve (also available in box quantities)	\$4.2103	100	2.81 lbs
AFO5PSL	5 PSI 3/4" FPT Auto Flush Valve (also available in box quantities)	\$4.2103	100	2.81 lbs
AFR2HSU	2 PSI 3/4" FHT Auto Flush Valve (also available in box quantities)	\$4.2103	100	2.81 lbs
AFR5HSL	5 PSI 3/4" FHT Auto Flush Valve (also available in box quantities)	\$4.2103	100	2.81 lbs





New O-Ring Washer™ Patent Pending

Replacement W	ashers and	Plungers
---------------	------------	-----------------


Description	List Price	Box Qty	Box Wt
2 lbs Spring used with Blue Plunger and Blue O-Ring	\$.3364	100	.03 lbs
5 lbs Spring used with Black Plunger and Black O-Ring	\$.3364	100	.03 lbs
Blue Plunger	\$.8140	100	.2 lbs
Black Plunger	\$.8140	100	.2 lbs
Blue O-Ring Washer™	\$.5056	100	.3 lbs
Black O-Ring Washer™	\$.5056	100	.3 lbs
	2 lbs Spring used with Blue Plunger and Blue O-Ring 5 lbs Spring used with Black Plunger and Black O-Ring Blue Plunger Black Plunger Blue O-Ring Washer™	2 Ibs Spring used with Blue Plunger and Blue O-Ring \$.3364 5 Ibs Spring used with Black Plunger and Black O-Ring \$.3364 Blue Plunger \$.8140 Black Plunger \$.8140 Blue O-Ring Washer™ \$.5056	2 Ibs Spring used with Blue Plunger and Blue O-Ring \$.3364 100 5 Ibs Spring used with Black Plunger and Black O-Ring \$.3364 100 Blue Plunger \$.8140 100 Black Plunger \$.8140 100 Blue O-Ring Washer™ \$.5056 100



Iree	E	suc	IC	lın	g	A	C	C	es	S	0	rie	es
------	---	-----	----	-----	---	---	---	---	----	---	---	-----	----

These clips and ties are made with high-quality UV inhibiting resins.

Part No	Description	List Price	Box Qty	Box Wt
MPT	Tan Tree Tie	\$.3614	10,000	13 lbs
MPOBCLP	Orange Budding Clip	\$.4572	10,000	16.5 lbs
MPBBCLP	Black Budding Clip	\$.4572	10,000	16.5 lbs



Nursery Clips & Rod Stakes

Product Info: These Stakes are made with high-quality UV inhibiting resins and are used primarily in nurseries.

Part No	Description	List Price	Box Qty	Box Wt
MYB	Black Clip for Nursery Rod Stake .240" & .295" O.D. Vinyl	\$.5165	(Bag) 1000	4.82 lbs
MYO	Orange Clip for Nursery Rod Stake .240" & .295" O.D. Vinyl	\$.5165	(Bag) 1000	4.82 lbs
MROD06	6" Galvanized Metal Rod for Nursery Rod Stake	\$.3521	(Bundle) 100	1.61 lbs
MROD12	12" Galvanized Metal Rod for Nursery Rod Stake	\$.4861	(Bundle) 100	3.30 lbs
MROD18	18" Galvanized Metal Rod for Nursery Rod Stake	\$.6551	(Bundle) 100	4.45 lbs

Product Info: These Stakes are made with high-quality UV inhibiting resins and are used primarily with potted plants in nurseries. (patent # 7,004,403)

	Description	LIST Price	Bag/Box Qty	Bag/Box Wt		
rsery Pot Cl	•					
IPCB	Black Pot Clip	\$.8900	100/500	1.92 lbs/10.56 l		H
IPCO	Orange Pot Clip	\$.8900	100/500	1.92 lbs/10.56 l	DS	Pot Clip
rsery Threa ISBNPST	ded Pot Stake (180° Down-Spray) Black Nursery Threaded Pot Stake (6.4 GPH @ 20 PSI)	\$.6021	100/500	2.10 lbs/12 lbs		
ISUNPST	Blue Nursery Threaded Pot Stake (10.5 GPH @ 20 PSI)	\$.6021	100/500	2.10 lbs/12 lbs		
ISGNPST	Green Nursery Threaded Pot Stake (16 GPH @ 20 PSI)	\$.6021	100/500	2.10 lbs/12 lbs	.	- 1
_					ake	Ä–
rsery Groov SONGST	e Pot Stake (160° to 180° Down-Spray) Use PE (Polyethylene) Tubing size .187' Rust Nursery Groove Pot Stake / 4.2 GPH @ 20 PSI / 180° Downspray	" OD x .125" I \$.6021		Froove Pot Stakes 2.10 lbs/12 lbs	oot St	Stake
SLNGST	Lime Nursery Groove Pot Stake / 6.6 GPH @ 20 PSI / 180° Downspray	\$.6021		2.10 lbs/12 lbs	Nursery Threaded Pot Stake	ot Sta
SGNGST	Green Nursery Groove Pot Stake / 11.4 GPH @ 20 PSI / 160° Downspray	\$.6021	100/500	2.10 lbs/12 lbs	Threa	Nursery Groove Pot
SBNGST	Black Nursery Groove Pot Stake / 15 GPH @ 20 PSI / 160° Downspray	\$.6021	100/500	2.10 lbs/12 lbs	rsery	, Gro
SWNGST	Brown Nursery Groove Pot Stake / 6.6 GPH @ 20 PSI / 90° Downspray	\$.6021	100/500	2.10 lbs/12 lbs		urser
	mblies - Please call to inquire about options and pricing. Pot Stake Assemblies can				V	z
(Polyethyle	ne) Tubing size .187" OD x .125" ID (Use with our Groove Pot Stakes)		Length	. Weight		n
XB1000PE	1/8" Black .187" OD x .125" ID x 1000' PE Tubing	\$147.343		7 lbs		, W
XB3000PE		\$433.859	9 3000	21 lbs	10000	Stake Extender
-	r price on these PE products					take E
Tubing Ada	These adapters are used to connect Standard and Pot Stake Vinyl Tubing to poly smaller holes, or to adapt Maxijet Vinyl to the tubing of other manufacturers.	tubing which h	as been pun	ched with larger or		Pot S
	sitialier floies, or to adapt maxifer virigito the tubing of other mandiacturers.					
J18X18	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing	\$.3943	100	.15 lbs		Ų
J18X18 J18X14		•	100 100	.15 lbs .15 lbs		
J18X14	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V	•			MJ18X18	
J18X14 justable Pot	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray)	/inyl \$.3943	100	.15 lbs	MJ18X18	, <u> </u>
J18X14 justable Pot	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V	•			MJ18X18 MJ18X14	
J18X14 justable Pot ISBNPSTV	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH	\$2.7600 List Price	100 100/1000 Box Qt	.15 lbs 2.6 lbs/28 lbs y Box Wt	-	y Stake
J18X14 justable Pot ISBNPSTV	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH	/inyl \$.3943 \$2.7600	100 100/1000	.15 lbs 2.6 lbs/28 lbs	-	Spray Stake
J18X14 justable Pot SBNPSTV Stake Exte SBNPE	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH ander 6" Pot Stake Extender - To Raise Height On All Pot Stakes	\$2.7600 List Price	100 100/1000 Box Qt	.15 lbs 2.6 lbs/28 lbs y Box Wt	-	e Pot Spray Stake
J18X14 justable Pot SBNPSTV Stake Exte SBNPE	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH ander 6" Pot Stake Extender - To Raise Height On All Pot Stakes	\$2.7600 List Price	100 100/1000 Box Qt	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs	-	Istable Pot Spray Stake
J18X14 justable Pot SBNPSTV Stake Exte SBNPE rsery Elbow	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH adder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake	\$2.7600 List Price \$.6038	100/1000 Box Qt 1000	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs	-	Adjustable Pot Spray Stake
J18X14 justable Pot SBNPSTV Stake Exte ISBNPE rsery Elbow	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl	\$2.7600 List Price \$.6038	100/1000 Box Qt 1000 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs	MJ18X14	djustable Pot Spray
justable Pot ISBNPSTV t Stake Exte ISBNPE rsery Elbow ISBELB ISOELB	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH oder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl	\$2.7600 List Price \$.6038 \$.9312 \$1.0487	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs	MJ18X14	djustable Pot Spray
J18X14 justable Pot SBNPSTV Stake Exte SBNPE sery Elbow ISBELB ISOELB al-Clip Stake	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$2.7600 List Price \$.6038	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs	MJ18X14	Adjustable Pot Spray
J18X14 justable Pot SBNPSTV Stake Exte SBNPE sery Elbow ISBELB ISOELB al-Clip Stake	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$2.7600 List Price \$.6038 \$.9312 \$1.0487	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs	MJ18X14	Adjustable Pot Spray
justable Pot ISBNPSTV Stake Exte ISBNPE rsery Elbow ISBELB ISOELB al-Clip Stake ISBCLP-D	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH oder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$2.7600 List Price \$.6038 \$.9312 \$1.0487	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs	MJ18X14	Adjustable Pot Spray
justable Pot SBNPSTV Stake Exte SBNPE sery Elbow ISBELB ISOELB ISOELB ISOCLP-D	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH adder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl	\$2.7600 List Price \$.6038 \$.9312 \$1.0487	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs	MJ18X14	Adjustable Pot Spray
J18X14 justable Pot SBNPSTV Stake Exte SBNPE sery Elbow ISBELB ISOELB ISOELB ISOCLP-D Micro Barb : SBBRBMI	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH ander 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet	\$2.7600 List Price \$.6038 \$.9312 \$1.0487 \$.7285 \$.8325	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 (Box) 100	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 14 lbs	MJ18X14 Musery Elbow Stake 195" Barb	djustable Pot Spray
J18X14 justable Pot SBNPSTV Stake Exte SBNPE rsery Elbow SBELB SOELB al-Clip Stake ISBCLP-D Micro Barb is SBBRBMI Shorty Clip	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH ander 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet	\$2.7600 \$2.7600 List Price \$.6038 \$.9312 \$1.0487 \$.7285 \$.8325	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 (Box) 100	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 15.7 lbs	MJ18X14 MJ18X14 Nursery Elbow Stake	Adjustable Pot Spray
justable Pot ISBNPSTV Stake Exte ISBNPE rsery Elbow ISBELB ISOELB ISOELB ISOCLP-D Micro Barb (1) ISBCLP-D Micro Barb (1) ISBBRBMI	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet Stakes Black Shorty Clip Stake w/ Stopping Depth Ring	\$2.7600 \$2.7600 \$1.0487 \$1.0487 \$1.0487 \$1.2677	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 (Box) 100	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 15.7 lbs 23 lbs	MJ18X14 Millsely Elbow Stake 195" Barb Inlet	6" Dual Clip Stake
justable Pot ISBNPSTV Stake Exte ISBNPE rsery Elbow ISBELB ISOELB al-Clip Stake ISBCLP-D Micro Barb ISBERBMI	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH ander 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet	\$2.7600 \$2.7600 List Price \$.6038 \$.9312 \$1.0487 \$.7285 \$.8325	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 (Box) 100	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 15.7 lbs	MJ18X14 Musery Elbow Stake 195" Barb	Note that the state of the stat
justable Pot ISBNPSTV Stake Exte ISBNPE rsery Elbow ISBELB ISOELB ISOELB ISOCLP-D Micro Barb : ISBBRBMII Shorty Clip ISBCLP-S SOCLP-S Cross Stake	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet Stakes Black Shorty Clip Stake w/ Stopping Depth Ring Orange Shorty Clip Stake w/ Stopping Depth Ring	\$2.7600 \$2.7600 \$ist Price \$.6038 \$.9312 \$1.0487 \$.7285 \$.8325 \$.8421 \$1.2677 \$1.4400	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 1000 500	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 15.7 lbs 23 lbs 23 lbs	MJ18X14 MJ18X14 Page 14 NuiseD Starke 195" Barb Inlet 7" Micro	Note that the state of the stat
justable Pot ISBNPSTV Stake Exte ISBNPE rsery Elbow ISBELB ISOELB ISOELB ISOCLP-D Micro Barb : ISBBRBMII Shorty Clip ISBCLP-S SOCLP-S Cross Stake SBCROSS	1/8" Barb x 1/8" (.125" x .125") Barb Coupler for .125" ID PE tubing 1/8" Barb x 1/4" (.125" x .180") Barb Coupler for .125" ID PE to .140" ID V Spray Stake (180° Down-Spray) Adjustable Pot Spray Stake w/ On-Off Valve - Adjusts from 0 to 8 GPH Inder 6" Pot Stake Extender - To Raise Height On All Pot Stakes Stake Black 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Orange 7.5" Elbow Stake - Accommodates .240" & .295" O.D. Vinyl Black 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Orange 6" Dual-Clip Stake / Accommodates .240" & .295" OD Vinyl Stake CRO Black 7" Micro Barb Stake with side 0195" Barb Inlet Stakes Black Shorty Clip Stake w/ Stopping Depth Ring Orange Shorty Clip Stake w/ Stopping Depth Ring	\$2.7600 \$2.7600 \$1.6038 \$1.0487 \$1.0487 \$1.2677 \$1.4400 \$3.5217	100/1000 Box Qt 1000 (Bag) 2 (Bag) 2 (Box) 100 1000 500 1,000	.15 lbs 2.6 lbs/28 lbs y Box Wt 17 lbs 5 .80 lbs 5 .80 lbs 14 lbs 15.7 lbs 23 lbs 23 lbs 23 lbs	MJ18X14 MJ18X14 Page 14 NuiseD Starke 195" Barb Inlet 7" Micro	6" Dual Clip Stake

2" Cross Stake (Patent Pending)





NON PC Drippers / PC Drippers / Adjustable Drippers / Adjustable Drippers Stakes 0-10 GPH

Product Info: Drippers deliver small, consistent amounts of water. Adjustable Drippers can be turned off or adjusted from a 1 GPH drip up to small 10 GPH 8-stream spray.

	Part No	Description	List Price	Qty	Bag Wt
NEW	NON PC Drip	pers			
ALV	MBD5DR	1/2 GPH Dripper (2LPH) w/ .180" Barb Inlet x Stem Outlet	\$.8734	100	.25 lbs
	MBD1DR	1 GPH Dripper (4LPH) w/ .180" Barb Inlet x Stem Outlet	\$.8734	100	.25 lbs
MBD5DR	MBD2DR	2 GPH Dripper (8LPH) w/ .180" Barb Inlet x Stem Outlet	\$.8734	100	.25 lbs
	PC Drippers	(Pressure Compensating)			
MBD5PC	MBD5PC	1/2 GPH PC Dripper w/ .180" Barb Inlet x Stem Outlet	\$1.4720	100	.25 lbs
	MBD1PC	1 GPH PC Dripper w/ .180" Barb Inlet x Stem Outlet	\$1.4720	100	.25 lbs
NEW	MBD2PC	2 GPH PC Dripper w/ .180" Barb Inlet x Stem Outlet	\$1.4720	100	.25 lbs
	NEW Adjusta	able Drippers <i>by Maxijet</i>			
	MBDADRB	Adjustable Dripper/Shrubler w/ .180" Barb Inlet and Adj. Dial	\$1.2818	100	.35 lbs
	MBDADRT	Adjustable Dripper/Shrubler w/ 10-32 Threaded Inlet and Adj. Dial	\$1.4720	100	.40 lbs
DADRB MBDADRT	NEW Adjusta	able Drippers Stakes <i>by Maxijet</i>			
MBD	AST MBDAST	Adjustable Dripper/Shrubler Stake w/ .180" Side Inlet	\$1.9137	100	1.25 lbs

Part No Description **List Price** Bag Wt **NEW Microspray All-in-One Kit** MJKIT-MICROSPRAY MJKIT-MICROSPRAY100 Microspray 100 Ft Black Barb Stake Kit **Irrigation Timer MJMLWT-1ZONE** 1 Zone Digital Water Timer \$175.0693 .897 lbs 2 Zone Digital Water Timer IJMLWT-TWOZONE << 3/4" FHT Inlet

MJMLWT-1ZONE << 3/4" MHT Outlet

MXB50



WARNING: This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

1/2" Poly Tubing

1/2" Poly Fittings

Product Info: Maxijet 1/2" Poly Tubing is constructed of high-quality, UV inhibiting resins, capable of handling years of wear and exposure in the field. This tubing can be buried or left above ground

Part No	Description	List Price	Qty	Wt
MXB50	50' Coil of 1/2" Poly Tubing .600" ID x .700" OD H-Qlty. Dow 7510 PE		1	1.50 lbs
MXB100	100' Coil of 1/2" Poly Tubing .600" ID x .700" OD H-Qlty. Dow 7510 PE	\$66.6425	1	3.80 lbs

Product Info: Customize any 1/2" Poly micro spray or drip system system using these reusable fittings. Use with .600" ID x .700" OD Poly.

r roduct iiiio.	astornize arry		ray of drip system system using these reusable littings. Ose with .600 1D x .700 OD Po			
		Part No	Description	List Price	Bag Qty	Bag Wt
650		MJBTF	1/2" Poly Tee with Locking Collars	\$5.0851	50	2.90 lbs
	3	MJBEF	1/2" Poly Elbow with Locking Collars	\$3.8807	50	2 lbs
MJBTF	MJBEF	MJBCF	1/2" Poly Coupling with Locking Collars	\$3.4794	50	1.70 lbs
MJBCF	MJB8F	MJB8F	1/2" Poly End Crimper	\$.9156	100	1.10 lbs
MIRCE	MJB8F	MJENDCAP	1/2" Poly Locking Collar x 3/4" Male Hose Thread Fitting with End Cap	\$6.5424	50	2.60 lbs
MJENDCAP	MJBBPV5	MJBBPV5	1/2" Poly On/Off Valve w/ Locking Collar	\$10.2105	40	2.80 lbs



Hose Fittings for Outside Faucet →

Product Info: These Faucet Adapters are made with high-quality UV inhibiting resins.

						•
Part No	Description	List Price	Bag Qty	Bag Wt		
MJBHF	3/4" FHT x 1/2" Poly Locking Collar Hose Fitting	\$5.6501	50	1.80 lbs		
MJBFF	3/4" FHT x .195" Barb Outlet Faucet Adapter	\$3.0834	50	1.10 lbs	FEU	
1/2" Potrofit	Adapters & Fittings				MJBHF	A LIDES

72" Retrofit Adapters & Fittings 1

Product Info: Use these Adapters to connect and retrofit Maxijet products to an existing PVC system. Attach 1/2" Poly (.600 ID x .700 OD") to 1/2" & 3/4" PVC Fittings

Part No	Description	List Price	Box Qty	Box Wt	1/2" MPT	1/2" MPT	1/2" MPT
Male Pipe Thread							- 8-
MJP2P	1/2" MPT x 1/2" Locking Collar Fitting	\$3.8807	50	1.60 lbs			
MJP2PTEE	1/2" MPT x 1/2" Locking Collar Tee Fitting	\$3.7328	50	2.80 lbs	MJP2P	MJP2PTEE	
MJP2PELB	1/2" MPT x 1/2" Locking Collar Elbow Fitting	\$2.8878	50	1.90 lbs		1/2" FPT	3/4" MHT
	to Female Pipe Thread	/					
MJP2PCOUP	1/2" FPT x 1/2" FPT Coupling	\$2.2821	50	1.54 lbs	1/2" FPT MJP2P0	COUR	annin.
Male Pipe Thread to	Male Hose Thread				WJFZF	200P W	JP2HTE << 1
MJP2HTE	1/2" MPT x 3/4" MHT Elbow Fitting	\$2.3242	50	1.80 lbs			
Male Hose Thread							X
MJP2HTTEE	3/4" MHT x 1/2" Locking Collar Tee Fitting	\$3.7893	50	2.80 lbs			
MJP2HTELB	3/4" MHT x 1/2" Locking Collar Elbow Fitting	\$2.8878	50	2 lbs	3/4" MHT		3/4" MH
					MJP2	HTTEE	MJP2HTELB

Retrofit Sprinkler Adapters / Converters ¬

Product Info: These Sprinkler Adapters and Converters are constructed of high-quality UV inhibiting resins and are used to convert high-volume PVC systems to low-volume.



Part No	Description	List Price	Qty	Bag Wt
1/2" Female	Pipe Thread Adapters			
MBBT	1/2" FPT Shrub Adapter w/ 10/32 Self Tapped Hole for Jets	\$1.5808	50	.82 lbs
BHCF	1/2" FPT Shrub Adapter w/ White Filter Screen	\$3.4135	50	1.02 lbs
BHCUF	1/2" FPT Shrub Adapter w/ Blue P.C. Filter Screen	\$5.0209	50	1.06lbs
BHCGF	1/2" FPT Shrub Adapter w/ Green P.C. Filter Screen	\$5.0209	50	1.06 lbs
BHCRF	1/2" FPT Shrub Adapter w/ Red P.C. Filter Screen	\$5.0209	50	1.06 lbs
BHCEF	1/2" FPT Shrub Adapter w/ .180" Barb Outlet and Filter Screen	\$4.1704	50	1.10 lbs
BHCTF	1/2" FPT Shrub Adapter w/ Two .180" Barb Outlets and Filter Screen	\$4.1704	50	1.14 lbs
BH4CEUFC	1/2" FPT Shrub Adapter w/ Four .180" Barb Outlets, Filter Screen & 4 Caps	\$9.0571	50	1.21 lbs
MJBSPR1	1/2" FPT x 1/2" MPT Adapter w/ .180" Barb Elbow Side Outlet	\$5.6064	50	1.30 lbs
Filter Screen				
MRB	White Filter Screen (Screen hole size less than .02")	\$1.6762	100	.20 lbs
Shut Off Cap	s			
MJBFPTCAF	2 1/2" FPT Female Pipe Threaded End Cap	\$1.8586	50	.70 lbs
MJBARBCA	P Barb Cap to push onto .180" Barbs to shut off flow	\$.2536	100	.10 lbs

Retrofit Saddles for PVC ---

Product Info: PVC Saddles are constructed of high-quality UV inhibiting resins and allow Vinyl Tubing to be connected directly to PVC.



Part No	Description	List Price	Bag Qty	Bag Wt
MJB12B6	1/2" PVC Saddle with .180" Barb Outlet	\$.6057	100	.80 lbs
MJB12B9	1/2" PVC Saddle with .195" Barb Outlet	\$.6057	100	.80 lbs
MJB34B9	3/4" PVC Saddle with .195" Barb Outlet	\$4.6838	100	1.10 lbs






Rainbird® / Hunter® / Toro® Retrofit Top Hat Jets

Product Info: Made of high-quality, UV-inhibiting resins. Top Hat Jets are not available with all orifice sizes, please review part numbers. See page 16 for special contractor pricing.





- Use with our Pop-Up Retrofit Adapters
- Top of jet sits flush with with top of Pop-Up to help keep out debris

Rainbird® / Hunter® Retrofit Pop-Up Adapters® w/ Female Threads

Product Info: These Pop-Up Adapters convert high-volume Pop-Up Sprinklers to low-volume. They work with the following brands: Rainbird®, Hunter®, Irritrol®, Buckner®, Nelson®, and Champion®. (Patent # 5,265,803)

MDBRNB Rainbird® / Hunter® Pop-Up Adapter only (No Filter) \$1.9721 100 .50 lbs BRCF Rainbird® / Hunter® Pop-Up Adapter with white filter screen \$3.8047 100 .70 lbs BRCUF Rainbird® / Hunter® Pop-Up Adapter with Blue P.C. Filter Screen \$5.4122 100 .80 lbs BRCGF Rainbird® / Hunter® Pop-Up Adapter with Green P.C. Filter Screen \$5.4122 100 .80 lbs Female Threads	Part No	Description	List Price	Bag Qty	Bag Wt	
BRCUF Rainbird® / Hunter® Pop-Up Adapter with Blue P.C. Filter Screen \$5.4122 100 .80 lbs MDBRNB BRCGF Rainbird® / Hunter® Pop-Up Adapter with Green P.C. Filter Screen \$5.4122 100 .80 lbs Female Threads	MDBRNB	Rainbird® / Hunter® Pop-Up Adapter only (No Filter)	\$1.9721	100	.50 lbs	
BRCGF Rainbird® / Hunter® Pop-Up Adapter with Green P.C. Filter Screen \$5.4122 100 .80 lbs	BRCF	Rainbird® / Hunter® Pop-Up Adapter with white filter screen	\$3.8047	100	.70 lbs	
Threads	BRCUF	Rainbird® / Hunter® Pop-Up Adapter with Blue P.C. Filter Screen	\$5.4122	100	.80 lbs	MDBRNB
Threads	BRCGF	Rainbird® / Hunter® Pop-Up Adapter with Green P.C. Filter Screen	\$5.4122	100	.80 lbs	
BROKE Rambird® / numer® Pop-op Adapter with Red P.G. Piller Screen \$5.4122 100 .00 ibs	BRCRF	Rainbird® / Hunter® Pop-Up Adapter with Red P.C. Filter Screen	\$5.4122	100	.80 lbs	Threads BRCF

Pop-Up Adapter Assemblies - Please call to inquire about options and pricing. Adapters can be assembled with any filter screen / Top Hat Jet combination.

Toro® / K-Rain® Retrofit Pop-Up Adapters® w/ Male Threads

Product Info: These Pop-Up Adapters convert high-volume Pop-Up Sprinklers to low-volume. They work with the following brands: Toro®, K-Rain®, and HIT® (Patent # 5,265,803)

			ŭ		,	
Part No	Description	List Price	Bag Qty	Bag Wt		
MDBTRO	Toro® / K-Rain® Pop-Up Adapter Only (No Filter)	\$1.9721	100	.40 lbs		
BTCF	Toro® / K-Rain® Pop-Up Adapter with White Filter Screen	\$3.8047	100	.40 lbs		111
BTCUF	Toro® / K-Rain® Pop-Up Adapter with Blue P.C. Filter Screen	\$5.4122	100	.80 lbs		- 1
BTCGF	Toro® / K-Rain® Pop-Up Adapter with Green P.C. Filter Screen	\$5.4122	100	.80 lbs	MDBTRO	10 1 0 1 10 1 0 1
BTCRF	Toro® / K-Rain® Pop-Up Adapter with Red P.C. Filter Screen	\$5.4122	100	.80 lbs	Male Threads	
	er Assemblies - Please call to inquire about options and pricing. Adapters can be	assembled with	any			втс
iter screen / i	op Hat Jet combination.					
ilter Screen		List Price	Bag Qty	Bag Wt		
MRB	White Filter Screen (Screen hole size less than .02")	\$1.6762	100	.20 lbs	10 1 00 0 0 0 10 1 00 0 0 10 1 00 0 0 10 1 00 0 0 10 1 00 0 0	
					100 - 100 - 100 100 - 100 - 100 100 - 100 - 100	





Maxijet, Inc. warrants, to the original purchaser only, that all products listed in the "Price List" shall be free of defects in workmanship and materials for a period of one year from the date of purchase. This limited warranty includes a warranty against deterioration from exposure to direct sunlight. Normal discoloration may occur under such circumstances, but will not affect the performance of the product during the warranty period. This limited warranty is void and shall not apply to any product that is misused or not maintained properly, use of chlorine more than 1 part per million, use of other chemicals naturally occuring or injected with PH levels less than 4 or greater than 10, improper filtration, sand blasting, (example: turning water on while jets are laying in sandy soil) nor to any product not manufactured by Maxijet, Inc. even if used in conjunction with Maxijet products. No seller, distributor, agent or other persons has the authority to waive, alter, expand or supplement the express provisions of this limited warranty.

Purchaser's sole and exclusive remedy hereunder shall be to return the defective product within the warranty period, along with satisfactory proof of purchase, (provide physical address, Attn: Warranty Department). Upon confirmation by Maxijet, Inc. that the product is defective and subject to this limited warranty, Maxijet, Inc., as its option, shall repair or replace the product without additional charge to the purchaser.

THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND MAXIJET, INC. SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL MAXIJET, INC. BE LIABLE FOR DAMAGES OF ANY KIND, INCLUDING, WITHOUT LIMITATION, ANY SPECIAL INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES EVEN IF MAXIJET, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you, the purchaser. This limited warranty gives you specific legal rights, and you, the purchaser, may also have other rights which vary from state to state.

Terms: Net 30 Days, on approved credit only. Past due accounts are subject to 1-1/2% per month service charge. Past due accounts are also subject to a "HOLD" and COD status.

Freight: F.O.B. Dundee, Florida.

Minimum Order Policy: A \$25.00 Net minimum order is required.

Prices: Prices are effective on the published date of the price sheet. **Prices are Subject to change without Notice**. Changes may occur without prior notice.

Cancellation of Order: Orders may be canceled for stock items. Products built to your order are subject to the assembly and the disassembly charge if the order is canceled.

Returns: **Merchandise** in new and non-used condition may be returned on a freight prepaid basis for credit, subject to inspection and acceptance at our factory in Dundee, Florida. **All returns** are subject to a **20**% restocking charge that will be deducted from the credit. **Returned goods** must be identified by invoice numbers covering original sale and a Return Merchandise Authorization Number (**RMA#**), which will be issued by Maxijet's Accounts Receivables Personnel prior to return of the goods. **Claims** for discrepancies in shipping will not be acknowledged after 5 days after the date of delivery.

Maxijet makes no other warranties, expressed or implied. No Representative, Agent, Distributor, or other person has the authority to waive, alter, or add to the printed provisions of this warranty, to make any representation or warranty not contained herein, or to extend this warranty to anyone other than the purchaser and/or original owner.

Possession of this sheet, a Price List, or a Maxijet, Inc. Catalog does not constitute an offer to sell nor a right to purchase. Maxijet, Inc. sells its products through qualified Dealers and Distributors. All sales are made on a cash basis unless other terms have been approved by Maxijet's Credit Department. All orders are subject to acceptance by Maxijet, Inc.


Pg15 800-881-6294







Samples / Displays / Catalogs











PVC Retrofit Sample
M-GSRET





Pot Clip Sample M-GSNURPC

Greenhouse Sample M-GSGRH

IN THE USA
IN THE USA
2025 ANGEL

Catalog MJ2025-GCATALOG




PricelistMJ2025-GPRICELIST




Maxijet Binder M-GBINDER



Contractor Brochure M-G3FOLD





Counter Mat Spec Sheet M-COUNTERMAT

Diam.

Circle 340°

JET SPECIFICATIONS

The Standard of Quality in Low-Volume Irrigation

	Diamete figures a	Spray	Spray F	Size & Color PSI	15 Black 20 .03" 25	15 Orange 20 .033" 25	15 Blue 20 .04" 25	15 Violet 20 .044" 25	15 15 20 30 30 30	15 .055" 25	15 Red 20 .06" 25	15	
MADE NTHE USA	Diameter & Radius figures are in feet	Spray Angle	Spray Patterns	GPH	4.9 5.6 6.3 6.9	6.7 7.7 8.6 9.4	8.9 10.5 11.8	11.5 13.5 15.0 16.5	14.0 16.0 18.0 19.9	17.1 19.8 22.2 24.4	20.2 23.5 26.5 26.5	32.1 37.1 37.1 41.8 946.1	
	Ma x-14 Fill-In 360° × 14	+15°	*	Diam.	7.5 8.5 9.0 9.5	9.5 10.5 11.5	9.5 11.0 12.0	12.5 13.5 13.5	13.0 14.0 15.0 16.5	13.5 14.0 15.0	15.0 17.0 18.0 21.0	21.0 21.5 22.0 24.5	Pressu
	Max-12 HDR Down Fill-In 360° x 12	°8-	Downspray	Diam.	5.0 5.5 6.0 6.5	5.5 6.5 7.0 7.5	6.0 6.5 7.0 7.5	6.5 7.0 7.5 7.5					Pressure Recommendations:
	Max-12 Fill-in 300° 300° x 12	+15°	*	Diam.	7.5 9.0 9.5 10.0	9.5 10.0 10.5 11.0	10.5 11.5 12.5 13.0	11.5 13.5 16.5	13.5 15.5 16.5	14.5 15.5 16.5 17.0	16.0 18.0 21.0 22.0	18.0 21.0 22.0 23.0	mmend
	Max-10 Fill-In 240° 240° x 10	+15°	*	Radius	4.0 4.5 5.0 5.5	4.5 5.0 5.5 5.5	5.5 6.0 6.5 7.0	5.5 6.0 6.5 7.0	6.0 6.5 7.0 7.5				lations:
	Max-14 Stream 360° x 14	+18°	*	Diam.	9.5 10.5 12.0 12.5	11.5 12.5 13.5 15.0	14.5 16.0 17.0 18.0	17.0 18.0 19.0	17.0 19.0 20.0 21.0	19.0 21.0 22.5 24.0	20.5 21.5 24.5 28.5	23.5 28.0 30.5 32.0	All May
	Max-14 Channel 360° x 14	+18°	**	Diam.	9.0 10.0 11.0	11.5 12.0 12.5 13.0	14.0 15.0 16.5 17.5	16.5 18.0 18.5	17.0 18.5 19.0	19.5 21.0 22.0 23.0	21.5 22.0 22.0 22.5	23.5 25.0 27.5 28.5	cijets I c
	Max-One Fan 320∘	00	6	Diam.	5.0 5.5 6.0 6.5	5.0 5.5 6.0 6.5	5.5 v. v 6.0	5.5 6.0 6.5 6.5	5.5 6.0 6.5 7.0	6.0 7.0 7.5	6.0 6.5 7.0 7.5	8.0 8.5 8.5 9.0	uloV-wc
	Max-Cone Down Fan 360°	-35°	Downspray	Diam.	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.5 2.5 2.5	2.5 2.5 3.0 3.0	me Irric
57	Max-Pot Down Fill-in 6 streams	-16º/-32º/-64º	Downspray	Diam.	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3	1.5 - 3 1.5 - 3 1.5 - 3				ration P
	Max-Cone Down Stream 360°×14	-45°	Downspray	Diam.	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.0 2.5 2.5	2.0 2.5 2.5 3.0	2.5 2.5 2.5 3.0	2.5 2.5 2.5 3.0	2.5 2.5 3.0 3.0	2.5 3.0 3.0 3.5	xiiets I ow-Volume Irrigation Products
	Max-Double Down Stream 360°	-24° -45°	Downspray	Diam.	3-4 3-4 3-4	3-4 3-4 3-4	3 - 4 3 - 4 3 - 4	3-4 3-4 3-4	3 - 4 - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 8	3 - 4 3 - 4 3 - 4	е м е е 4 4 4 4	3 - 4.5 3 - 4.5 3 - 4.5 3 - 5	are
	Max-360 Blueberry 360°	-13°	Downspray	Diam.	3.5 4.0 4.0	4.5 4.5 5.0 5.5	4.5 5.0 5.0 5.5	5.0 5.5 6.0	5.5 5.5 6.0 6.0				Singuisted to be used at pressure rates of 20-30 PS
	Max-180 Blueberry 180°	-130	Downspray	Radius	1.5 1.5 1.5 2.0	2.0 2.0 2.5 2.5	3.0 3.5 3.5	3.0 3.5 3.5	3.0 3.0 3.0				to be u
7	Max-Center Strip 20°×2	+12°	V	Diam.	1×8 1×11 1×12.5 1.5×13.5	1×9.5 1.5×12 1.5×13.5 1.5×14.5	1 × 11 1 × 13 1.5 × 14.5 1.5 × 14.5						ised at r
	Max-V Stream 2 Streams	+15°	1	Diam.	10.0 11.5 13.0 13.5	12.5 14.5 16.5 17.5	13.5 15.5 17.5 19.5	15.0 17.5 18.5	16.0 19.5 22.5 23.5	20.0 20.0 22.5 24.0	25.0 29.5 32.5 35.0		pressur
3	Small Spinner 360°×8	00	8	Diam.				7.5 8.0 8.5 9.5					e rates
	Large Spinner 360°×2	8	6	Diam.	13.0 13.5 13.5 14.0	13.0 14.0 14.5 15.5	15.0 15.5 16.5	15.5 16.5 17.0 17.5	16.5 17.0 17.5 18.5	17.0 18.0 19.0 20.0	17.0 18.5 19.5 20.5		of 20-3
	Center Strip 20°×2	°O	V	Radius			2.5 x 3.5 2.5 x 4 2.5 x 4.5 2.5 x 5		2 x 4.5 2 x 5 2.5 x 5.5 2.5 x 5.5		2×4.5 2×5 2×5.5 2×6		DSI 0
	Quarter Circle 90°	°0	1	Radius			5.0 6.0 6.5		6.0 6.0 6.5 7.0		6.0 6.5 7.0 7.5		
	Half Circle 180°	00	-	Radius			4.5 5.5 6.0		4.5 5.5 6.0		5.0 6.0 6.5		

5.5 **6.0** 6.5 6.5 5.5 **6.0** 6.5 6.5

Pressure Recommendations: All Maxijets Low-Volume Irrigation Products are suggested to be used at pressure rates of 20-30 PSI.
Filtration Recommendations: Orifice sizes of .03" to .044" use a filtration mesh size from 80 to 120 & for Orifice sizes of .05" to .07" use a filtration mesh size from 50 to 80.

6.5 7.0 7.5 8.0